

Number 80

May 1, 2007

**OCCASIONAL PAPERS OF THE
MUSEUM OF NATURAL SCIENCE**

**LOUISIANA STATE UNIVERSITY
BATON ROUGE, LOUISIANA 70803**

A CHECKLIST OF THE AMPHIBIANS AND REPTILES OF MÉXICO

By

Ernest A. Liner
310 Malibou Boulevard
Houma, Louisiana 70364-2598
Email: liner_e@bellsouth.net

INTRODUCTION

México has one of the largest herpetofaunas in the world due to its wide diversity of habitats. It has been a number of years since a comprehensive checklist of the herpetofauna of the whole of México has appeared. The checklists of Flores-Villela (1993), Smith & Smith (1993), Liner (1994), and Frank & Ramus (1995) are long outmoded. A more recent paper by Flores-Villela and Canseco- Márquez (2004) had updated the previous checklists through December, 2003. Since these publications, a number of new species/subspecies have been described, some forms taken out of synonymy and others placed into synonymy, some subspecies elevated to species and some species to subspecies, new genera described to accomodate new taxa and older taxa being reassigned to them, and some formerly extralimital taxa now known to be in México. Three taxa are known to be in the Río Grande with no voucher specimens from México proper, 2 introduced. Since this update three published papers by Faivovich et al. (2005), Frost et al. (2006), and Grant et al. (2006) have radically changed the family and generic names of many species/subspecies of amphibians through August of 2006. Poe (2004) has changed *Norops* back to *Anolis*. Nagy et al. 2004 have placed the genus *Masticophis* into *Coluber*. The use of *Ollotis* in Anura follows Frost et al. (2006) who resurrected *Ollotis* since *Cranopsis* was used in error. Lawson et al. 2005) have modified the Colubridae and recognized subfamilies, and Collins (2006) suggested that these subfamilies be recognized as families and is followed here.

This present list in simple form lists all changes that have been proposed recently through September, 2006. In most cases, the latest literature is followed. Hopefully, not many changes were missed as sometimes changes or additions were published in obscure publications. Changes in theses and dissertations were not used unless published. If a taxon is introduced or parthenogenetic, this status is indicated. All are in alphabetical order under their various categories, e.g., order, family, genera, species, and subspecies.

A new Standard Names Checklist is being prepared by the author and Dr. Gustavo Casas-Andreu in Spanish and English.

Table 1: Numbers of each category involved.

Order	Family	Genera	Species/Subspecies
Caudata	4	16	143
Gymnophiona	1	1	2
Anura	11	38	248
Crocodylia	2	3	4
Testudines	9	19	67
Amphisbaenia	1	1	3
Sauria	13	48	579
Serpentes	12	90	581
Totals	53	216	1627

AMPHIBIA Gray, 1825**CAUDATA** Fischer von Waldheim, 1813Family: **Ambystomatidae** Gray, 1850**AMBYSTOMA** Tschudi, 1838

- A. altamirani** Dugès, 1895
- A. amblycephalum** Taylor, 1939 (1940)
- A. andersoni** Krebs & Brandon, 1984
- A. bombypellum** Taylor, 1939 (1940)
- A. dumérilii** (Dugès, 1870)
- A. flavipiperatum** Dixon, 1963
- A. granulosum** Taylor, 1944
- A. leorae** (Taylor, 1943)
- A. lermaense** (Taylor, 1939 [1940])
- A. mavortium** **mavortium** Baird, 1849 (1850)
- A. mexicanum** (Shaw, 1789)
- A. ordinarium** Taylor, 1939 (1940)
- A. rivulare** (Taylor, 1940)
- A. rosaceum** **nigrum** Shannon, 1951
- A. rosaceum** **rosaceum** Taylor, 1941
- A. silvensis** Webb, 2004
- A. taylori** Brandon, Maruska & Rumph, 1981
- A. velasci** Dugès, 1891

Family: **Plethodontidae** Gray, 1850**ANEIDES** Baird, 1851

- A. lugubris** (Hallowell, 1849)

BATRACHOSEPS Bonaparte, 1839

- B. major** Camp, 1915

BOLITOGLOSSA Duméril, Bibron & Duméril, 1854

- B. alberchi** García-Paris, Parra-Olea, Brame & Wake, 2002
- B. engelhardti** (Schmidt, 1936)
- B. flavimembris** (Schmidt, 1936)
- B. flaviventris** (Schmidt, 1936)
- B. franklini** **franklini** (Schmidt, 1936)
- B. franklini** **nigroflavescens** Taylor, 1941

- B. **hartwegeri** Wake & Brame, 1969
- B. **hermosa** Papenfuss, Wake & Adler, 1983 (1984)
- B. **lincolni** (Stuart, 1943)
- B. **macrinii** (Lafrentz, 1930)
- B. **mexicana** Duméril, Bibron & Duméril, 1854
- B. **mulleri** (Brocchi, 1883)
- B. **oaxacensis** Parra-Olea, García-Paris & Wake, 2002
- B. **occidentalis** Taylor, 1941
- B. **odonnelli** (Stuart, 1943)
- B. **platydactyla** (Gray, 1831)
- B. **riletti** Holman, 1964
- B. **rostrata** (Brocchi, 1883)
- B. **rufescens** (Cope, 1869)
- B. **stuarti** Wake & Brame, 1969
- B. **veracrucis** Taylor, 1951
- B. **yucatana** (Peters, 1882)
- B. **zapoteca** Parra-Olea, García-Paris & Wake, 2002

CHIROPTEROTRITON Taylor, 1944

- C. **arboreus** (Taylor, 1941)
- C. **chiropterus** (Cope, 1863)
- C. **chondrostega** (Taylor, 1941)
- C. **cracens** Rabb, 1958
- C. **dimidiatus** (Taylor, 1939 [1940])
- C. **lavae** (Taylor, 1942)
- C. **magnipes** Rabb, 1965
- C. **mosaueri** (Woodall, 1941)
- C. **multidentatus** (Taylor, 1938 [1939])
- C. **orculus** (Cope, 1865)
- C. **priscus** Rabb, 1956
- C. **terrestris** (Taylor, 1941)

CRYPTOTRITON García-Paris & Wake, 2000

- C. **adelos** (Papenfuss & Wake, 1987)
- C. **alvarezdeltoroi** (Papenfuss & Wake, 1987)

DENDROTRITON Wake & Elias, 1983

- D. **megarhinus** (Rabb, 1960)
- D. **xolocalcae** (Taylor, 1941)

ENSATINA Gray, 1850

E. eschscholtzii eschscholtzii Gray, 1850

E. klauberi Dunn, 1929

NYCTANOLIS Elias & Wake, 1983

N. pernix Elias & Wake, 1983

OEDIPINA Keferstein, 1868

O. elongata (Schmidt, 1936)

PARVIMOLGE Taylor, 1944

P. townsendi (Dunn, 1922)

PSEUDOEURYCEA Taylor, 1944

P. ahuitzotl Adler, 1996

P. altamontana (Taylor, 1938 [1939])

P. amuzga Pérez-Ramos & Saldaña-de la Riva, 2003

P. anitae Bogert, 1967

P. aquatica Wake & Campbell, 2001

P. aurantia Canseco-Márquez & Parra-Olea, 2003

P. bellii bellii (Gray, 1850)

P. bellii sierraoccidentalis Lowe, Jones & Wright, 1968

P. boneti Álvarez & Martín, 1967

P. brunnata Bumhazem & Smith, 1955

P. cephalica cephalica (Cope, 1965)

P. cephalica manni (Taylor, 1938 [1939])

P. cephalica rubrimembris (Taylor & Smith, 1945)

P. cochranae (Taylor, 1943)

P. conanti Bogert, 1967

P. firscheini Shannon & Werler, 1955

P. gadovii (Dunn, 1926)

P. galeanae (Taylor, 1941)

P. gigantea (Taylor, 1938 [1939])

P. goebeli (Schmidt, 1936)

P. juarezzi Regal, 1966

P. leprosa (Cope, 1869)

P. lineola (Cope, 1865)

P. longicauda Lynch, Wake & Yang, 1983

P. lynchi Parra-Olea, Papenfuss & Wake, 2001

P. maxima Parra-Olea, García-Paris, Papenfuss & Wake, 2005

P. melanomolga (Taylor, 1941)

P. mixcoatl Adler, 1996

- P. mixteca** Canseco-Márquez & Gutiérrez-Mayén, 2005
P. mystax Bogert, 1967
P. naucampateptl Parra-Olea, Papenfuss & Wake, 2001
P. nigra (Wake & Johnson, 1989)
P. nigromaculata (Taylor, 1941)
P. obesa Parra-Olea, García-Paris, Hanken & Wake, 2005
P. orchileuca (Brodie, Mendelsohn, III & Campbell, 2002)
P. orchimela (Brodie, Mendelson, III & Campbell, 2002)
P. papenfussi Parra-Olea, García-Paris, Hanken & Wake, 2005
P. parva Lynch & Wake, 1989
P. praecellens (Rabb, 1955)
P. quetzalanensis Parra-Olea, Canseco-Márquez & García-Paris, 2004
P. robertsi (Taylor, 1938 [1939])
P. ruficauda Parra-Olea, García-Paris, Hanken & Wake, 2004
P. saltator Lynch & Wake, 1989
P. scandens Walker, 1955
P. smithi (Taylor, 1938 [1939])
P. tenchalli Adler, 1996
P. teoteppec Adler, 1996
P. tlahcuiloh Adler, 1996
P. tlilicxitl Lara-Góngora, 2003
P. unguidentis (Taylor, 1941)
P. werleri Darling & Smith, 1954

THORIUS Cope, 1869

- T. arboreus** Hanken & Wake, 1994
T. aureus Hanken & Wake, 1994
T. boreas Hanken & Wake, 1994
T. dubitus Taylor, 1941
T. grandis Hanken, Wake & Freeman, 1999
T. infernalis Hanken, Wake & Freeman, 1999
T. insperatus Hanken & Wake, 1994
T. lunaris Hanken & Wake, 1998
T. macdougalli Taylor, 1949
T. magnipes Hanken & Wake, 1998
T. minutissimus Taylor, 1949
T. minydemus Hanken & Wake, 1998
T. munificus Hanken & Wake, 1998
T. narismagnus Shannon & Werler, 1955
T. narisovalis Taylor, 1939 [1940]
T. omiltemi Hanken, Wake & Freeman, 1999
T. papaloae Hanken & Wake, 2001
T. pennatulus Cope, 1869

- T. pulmonaris** Taylor, 1939 [1940]
- T. schmidti** Gehlbach, 1959
- T. smithi** Hanken & Wake, 1994
- T. spilogaster** Hanken & Wake, 1998
- T. troglodytes** Taylor, 1941

Family: **Salamandridae** Goldfuss, 1820

NOTOPHTHALMUS Rafinesque, 1820

- N. meridionalis kallerti** (Wolterstorff, 1930)
- N. meridionalis meridionalis** (Cope, 1880)

TARICHA Gray, 1850

- T. torosa torosa** (Rathke, **in** Eschscholtz, 1833)

Family: **Sirenidae** Gray, 1825

SIREN Österdam, 1766

- S. intermedia nettingi** Goin, 1942
- S. lacertina** Linnaeus, 1766

GYMNOPHIONA Müller, 1832

Family: **Caeciliidae** Rafinesque, 1814

DERMOPHIS Peters, 1880

- D. mexicanus** (Duméril & Bibron, 1841)
- D. oaxacae** (Mertens, 1930)

ANURA Fischer von Waldheim, 1831

Family: **Brachycephalidae** Günther, 1858

CRAUGASTOR Cope, 1862

- C. alfredi alfredi** (Boulenger, 1898)
- C. alfredi conspicuus** (Taylor & Smith, 1945)
- C. amniscola** (Campbell & Savage, 2000)
- C. augusti augusti** (Dugès, **in** Brocchi, 1879)
- C. augusti cactorum** (Taylor, 1938 [1940])
- C. augusti fuscofemora** (Zweifel, 1956)

- C. **augusti latrans** (Cope, 1880)
- C. **berkenbuschii** (Peters, 1870)
- C. **brocchi** (Boulenger, 1882, in Brocchi, [1881-1883])
- C. **decoratus decoratus** (Taylor, 1942)
- C. **decoratus purpurus** (Lynch, 1967)
- C. **galacticorhinus** (Canseco-Márquez & Smith, 2004)
- C. **glaucus** (Lynch, 1967)
- C. **greggi** (Bumhazahem, 1955)
- C. **guerreroensis** (Lynch, 1967)
- C. **hobartsmithi** (Taylor, 1935 [1936])
- C. **laticeps** (Duméril, 1853)
- C. **lineatus** (Brocchi, 1879)
- C. **loki** (Shannon & Werler, 1955)
- C. **matudai** (Taylor, 1941)
- C. **megalotympanum** (Shannon & Werler, 1955)
- C. **mexicanus** (Brocchi, 1877)
- C. **occidentalis** (Taylor, 1941)
- C. **palenque** (Campbell & Savage, 2000)
- C. **pelorus** (Campbell & Savage, 2000)
- C. **polymniae** (Campbell, Lamar & Hillis, 1989)
- C. **pozo** (Johnson & Savage, 1995)
- C. **pygmaeus** (Taylor, 1936 [1937])
- C. **rhodopis** (Cope, 1866 [1867])
- C. **rugulosus** (Cope, 1869 [1870])
- C. **rupinus** (Campbell & Savage, 2000)
- C. **saltator** (Taylor, 1941)
- C. **sartori** (Lynch, 1965)
- C. **silvicola** (Lynch, 1967)
- C. **spatulatus** (Smith, 1939)
- C. **stuarti** (Lynch, 1967)
- C. **tarahumaraensis** (Taylor, 1940)
- C. **taylori** (Lynch, 1966)
- C. **uno** (Savage, 1984)
- C. **vocalis** (Taylor, 1940)
- C. **vulcani** (Shannon & Werler, 1955)
- C. **yucatanensis** (Lynch, 1965)

ELEUTHERODACTYLUS Duméril & Bibron, 1841

- E. batrachylus** Taylor, 1940

EUHYAS Fitzinger, 1843

- E. planirostris planirostris** (Cope, 1862) (Introduced)

SYRRHOPHUS Cope, 1878

- S. albolabris** (Taylor, 1943)
S. angustidigitorum (Taylor, 1939 [1940])
S. cystignathoides campi Stejneger, 1915
S. cystignathoides cystignathoides (Cope, 1877 [1878])
S. dennisi Lynch, 1970
S. dilatus (Davis & Dixon, 1955)
S. fuscus (Davis & Dixon, 1955)
S. grandis (Dixon, 1957)
S. guttilatus (Cope, 1879)
S. interorbitalis Langebartel & Shannon, 1956
S. leprus Cope, 1879
S. longipes (Baird, in Emory, 1869)
S. marnockii Cope, 1878
S. modestus Taylor, 1942
S. nitidus nitidus (Peters, 1869)
S. nitidus orarius (Dixon, 1957)
S. nitidus petersi (Duellman, 1954)
S. nivicolimae Dixon & Webb, 1966
S. pallidus Duellman, 1958
S. pipilans nebulosus Taylor, 1943
S. pipilans pipilans Taylor, 1940
S. rubrimaculatus Taylor & Smith, 1945
S. rufescens (Duellman & Dixon, 1859)
S. saxatilis (Webb, 1962)
S. syristes (Hoyt, 1965)
S. teretistes Duellman, 1958
S. verrucipes Cope, 1885
S. verruculatus (Peters, 1870)

Family: **Bufo** Gray, 1825

ANAXYRUS Tschudi, 1845

- A. boreas halophilus** (Baird & Girard, 1853)
A. californicus (Camp, 1915)
A. cognatus (Say, in James, 1823)
A. compactilis (Wiegmann, 1833)
A. debilis debilis (Girard, 1854)
A. debilis insidior (Girard, 1854)
A. kelloggi (Taylor, 1936 [1939])
A. mexicanus (Brocchi, 1879)
A. punctatus (Baird & Girard, 1852)

- A. retiformis** (Sanders & Smith, 1951)
- A. speciosus** (Girard, 1854)
- A. woodhousii australis** (Shannon & Lowe, 1955)

CHAUNUS Wagler, 1828

- C. marinus** (Linnaeus, 1758)

OLLOTIS Cope, 1875 (1876)

- O. alvaria** (Girard, in Baird, in Emory, 1859)
- O. bocourti** (Brocchi, 1877)
- O. campbelli** (Mendelson, III, 1997)
- O. canalifera** (Cope, 1877 [1878])
- O. cavifrons** (Firschein, 1950)
- O. coccifer** (Cope, 1866)
- O. cristata** (Wiegmann, 1833)
- O. cycladen** (Lynch & Smith, 1966)
- O. gemmifer** (Taylor, 1939 [1940])
- O. macrocristata** (Firschein & Smith, 1957)
- O. marmorea** (Wiegmann, 1833)
- O. mazatlanensis** (Taylor, 1940)
- O. nebulifer** (Girard, 1854)
- O. occidentalis** (Camerano, 1879)
- O. perplexa** (Taylor, 1943)
- O. pisinna** (Mendelson, III, Williams, Sheil & Mulcahy, 2005)
- O. spiculata** (Mendelson, III, 1997)
- O. tacanensis** (Smith, 1952)
- O. tutelaria** (Mendelson, III, 1997)
- O. valliceps** (Wiegmann, 1833)

Family: **Centrolenidae** Taylor, 1951

HYALINOBATRACHIUM Ruiz-Carranza & Lynch, 1991

- H. fleischmanni** (Boettger, 1893)

Family: **Hylidae** Rafinesque, 1815

ACRIS Duméril & Bibron, 1841

- A. crepitans crepitans** Baird, 1854

AGALYCHNIS Cope, 1864

- A. callidryas** (Cope, 1862)
A. moreletti (Duméril, 1853)

ANOTHECA Smith, 1939

- A. spinosa** (Steindachner, 1864)

BROMELIOHYLA Faivovich, Haddad, Garcia, Frost, Campbell & Wheeler, 2005

- B. bromeliacia** (Schmidt, 1933)
B. dendroscarta (Taylor, 1940)

CHARADRAHYLA Faivovich, Haddad, Garcia, Frost, Campbell & Wheeler, 2005

- C. altipotens** (Duellman, 1968)
C. chaneque (Duellman, 1961)
C. nephila (Mendelson, III & Campbell, 1999)
C. taeniopus (Günther, 1901, in Günther, 1885-1902)
C. trux (Adler & Dennis, 1972)

DENDROPSOPHUS Fitzinger, 1843

- D. ebraccatus** (Cope, 1874)
D. microcephalus cherrei (Cope, 1894)
D. robertmertensi (Taylor, 1937)
D. sartori (Smith, 1951)

DUELLMANOHYLA Campbell & Smith, 1992

- D. chamulae** (Duellman, 1961)
D. ignicolor (Duellman, 1961)
D. schmidtorum (Stuart, 1954)

ECNOMIOHYLA Faivovich, Haddad, Garcia, Frost, Campbell & Wheeler, 2005

- E. echinata** (Duellman, 1962)
E. miotympanum (Cope, 1863)
E. valencifier (Firschein & Smith, 1956)

EXERODONTA Brocchi, 1879

- E. abdivita** (Campbell & Duellman 2000)

- E. bivocata** (Duellman & Hoyt, 1961)
- E. chimalapa** (Mendelson, III & Campbell, 1994)
- E. juanitae** (Snyder, 1972)
- E. melanomma** (Taylor, 1940)
- E. pinorum** (Taylor, 1937)
- E. smaragdina** (Taylor, 1940)
- E. sumicrasti** Brocchi, 1879
- E. xera** (Mendelson, III & Campbell, 1994)

HYLA Laurenti, 1768

- H. arboricola** Taylor, 1941
- H. arenicolor** Cope, 1866 [1967]
- H. euphorbiacea** Günther, 1858 (1859)
- H. eximia** Baird, 1854
- H. plicata** Brocchi, 1877
- H. walkeri** Stuart, 1954
- H. wrightorum** Taylor, 1938 [1939]

MEGASTOMATOHYLA Faivovich, Haddad, Garcia, Frost, Campbell & Wheeler, 2005

- M. mixe** (Duellman, 1965)
- M. mixomaculata** (Taylor, 1950)
- M. nubicola** (Duellman, 1964)
- M. pellita** (Duellman, 1968)

PACHYMEDUSA Duellman, 1968

- P. dacnicolor** (Cope, 1864)

PLECTROHYLA Brocchi, 1877

- P. acanthodes** Duellman & Campbell, 1992
- P. ameibothalame** (Canseco-Márquez, Mendelson, III & Gutiérrez-Mayén. 2002)
- P. arborescandens** (Taylor, 1939)
- P. avia** Stuart, 1952
- P. bistincta** (Cope, 1877 [1878])
- P. calthula** (Ustach, Mendelson, III, McDiarmid & Campbell, 2000)
- P. calvicollina** (Toal, III, 1994)
- P. celata** (Toal, III & Mendelson, III, 1995)
- P. cembra** (Caldwell, 1974)
- P. charadricola** (Duellman, 1964)

- P. chryses** (Adler, 1965)
P. crassa (Brocchi, 1877)
P. cyanomma (Caldwell, 1974)
P. cyclada (Campbell & Duellman, 2000)
P. ephemera (Meik, Canseco-Márquez, Smith & Campbell, 2005)
P. guatemalensis Brocchi, 1877
P. hartwegi Duellman, 1968
P. hazelae (Taylor, 1940)
P. ixil Stuart, 1942
P. labedactyla (Mendelson, III & Toal, III, 1996)
P. lacertosa Bumhazem & Smith, 1954
P. matudai Hartweg, 1941
P. miahuatlanensis Meik, Smith, Canseco-Marquez & Campbell, 2006
P. mykter (Adler & Dennis, 1972)
P. pachyderma (Taylor, 1942)
P. pentheter (Adler, 1965)
P. psarosema (Campbell & Duellman, 2000)
P. pycnochila Rabb, 1959
P. robertsorum (Taylor, 1940)
P. sabrina (Caldwell, 1974)
P. sagorum Hartweg, 1941
P. siopela (Duellman, 1968)
P. thorectes (Adler, 1965)

PSEUDACRIS Fitzinger, 1843

- P. cadaverina** (Cope, 1866 [1867])
P. clarkii (Baird, 1854)
P. hypochondriaca curta (Cope, 1866 [1867])
P. hypochondriaca hypochondriaca (Hallowell, 1854)

PTYCHOHYLA Taylor, 1944

- P. acrochorda** Campbell & Duellman, 2000
P. dendrophasma (Campbell, Smith & Acevedo, 2000)
P. erythromma (Taylor, 1937)
P. euthysanota (Kellogg, 1928)
P. leonardschultzei (Ahl, 1934)
P. macrotympanum (Tanner, 1957)
P. zophodes Campbell & Duellman, 2000

SCINAX Wagler, 1830

- S. staufferi** (Cope, 1865)

SMILISCA Cope, 1865

- S. baudinii** (Duméril & Bibron, 1841)
S. cyanosticta (Smith, 1953)
S. dentata (Smith, 1957)
S. fodiens (Boulenger, 1882)

TLALOCOHYLA Faivovich, Haddad, Garcia, Frost, Campbell & Wheeler, 2005

- T. godmani** (Günther, 1901, *in* Günther, 1885-1902)
T. loquax (Gaige & Stuart, 1934)
T. picta (Günther, 1901, *in* Günther, 1885-1902)
T. smithii (Boulenger, 1901)

TRACHYCEPHALUS Tschudi, 1838

- T. venulosus** (Laurenti, 1768)

TRIPRION Cope, 1866

- T. petasatus** (Cope, 1865)
T. spatulatus reticulatus (Taylor, 1942)
T. spatulatus spatulatus Günther, 1882

Family: **LEIUPERIDAE** Bonaparte, 1850

ENGYSTOMOPS Jiménez de la Espada, 1872

- E. pustulosus** (Cope, 1864)

Family: **LEPTODACTYLIDAE** Werner, 1896 (1898)

LEPTODACTYLUS Fitzinger, 1826

- L. fragilis** (Brocchi, 1877)
L. melanotus (Hallowell, 1860 [1861])

Family: **Microhylidae** Günther, 1858 [1859]

GASTROPHRYNE Fitzinger, 1843

- G. elegans** (Boulenger, 1882)
G. olivacea mazatlanensis (Taylor, 1943)
G. olivacea olivacea (Hallowell, 1856 [1857])

G. usta (Cope, 1866)**HYPOPACHUS** Keferstein, 1867**H. barberi** Schmidt, 1939**H. variolosus** (Cope, 1866)Family: **Pipidae** Gray, 1825**XENOPUS** Wagler, 1827**X. laevis** (Daudin, 1802) (Introduced)Family: **Ranidae** Rafinesque, 1814**LITHOBATES** Fitzinger, 1843**L. berlandieri** (Baird, 1859)**L. brownorum** (Sanders, 1973)**L. catesbeiana** (Shaw, 1802) (Introduced)**L. chichicuahutla** (Cuellar, Méndez de la Cruz, & Villegranc-Santa Cruz, 1996)**L. chiricahuensis** (Platz & Mecham, 1979)**L. dunni** (Zweifel, 1957)**L. forreri** (Boulenger, 1883)**L. johni** (Blair, 1965)**L. lemosespiniali** (Smith & Chiszar, 2003)**L. maculata** (Brocchi, 1877)**L. magnaocularis** (Frost & Bagnara, 1976)**L. megapoda** (Taylor, 1942)**L. montezumae** (Baird, 1854)**L. neovolcanica** (Hillis & Frost, 1985)**L. omiltemana** (Günther, 1900, in Günther, 1885-1902)**L. psilonota** (Webb, 2001)**L. pueblae** (Zweifel, 1955)**L. pustulosa** (Boulenger, 1883)**L. sierramadrensis** (Taylor, 1938 [1839])**L. spectabilis** (Hillis & Frost, 1985)**L. tarahumarae** (Boulenger, 1917)**L. tlaloci** (Hillis & Frost, 1985)**L. vaillanti** (Brocchi, 1877)**L. yavapaiensis** (Platz & Frost, 1984)**L. zweifeli** (Hillis, Frost & Webb, 1984)

RANA Linnaeus, 1758**R. boylii** Baird, 1854**R. draytonii** Baird & Girard, 1852Family: **Rhinophrynidæ** Günther, 1859 (1858)**RHINOPHRYNUS** Duméril & Bibron, 1841**R. dorsalis** Duméril & Bibron, 1841Family: **Scaphiopodidæ** Cope, 1866**SCAPHIOPUS** Holbrook, 1836**S. couchii** Baird, 1854**SPEA** Cope, 1866**S. bombifrons** (Cope, 1863)**S. hammondii** (Baird, 1857 [1859])**S. multiplicata** (Cope, 1863)**S. starnalis** (Cope, in Yarrow, 1875)**REPTILIA** LAURENTI, 1768**LORICATA** Merrem, 1820**CROCODYLIA** (Gmelin, 1789)Family: **Alligatoridæ** Gray, 1844**ALLIGATOR** Cuvier, 1807**A. mississippiensis** (Daudin, 1801 [1802]) (Yet to be officially recognized with voucher specimens.)**CAIMAN** Spix, 1825**C. crocodilus fuscus** (Cope, 1868)Family: **Crocodylidæ** Gray, 1825**CROCODYLUS** Laurenti, 1768

C. acutus (Cuvier, 1807)

C. moreletii Duméril & Bibron, 1851

TESTUDINES Batsch, 1788

Family: **Cheloniidae** Gray, 1825

CARETTA Rafinesque, 1814

C. caretta (Linnaeus, 1758)

CHELONIA Brongniart, 1800

C. mydas (Linnaeus, 1758)

ERETMOCHELYS Fitzinger, 1843

E. imbricata bissa (Rüppell, 1835)

E. imbricata imbricata (Linnaeus, 1766)

LEPIDOCHELYS Fitzinger, 1843

L. kempii (Garman, 1880)

L. olivacea (Eschscholtz, 1829)

Family: **Chelydridae** Swainson, 1839

CHELYDRA Schweigger, 1812

C. rossignonii (Bocourt, 1868)

C. serpentina osceola Stejneger, 1918 (Introduced) (Not known if a population exists or a lone escape or release.)

C. serpentina serpentina (Linnaeus, 1758) (Introduced) (Yet to be recognized with voucher specimens.)

Family: **Dermatemyiidae** Gray, 1870

DERMATEMYS Gray, 1847

D. mawii Gray, 1847

Family: **Dermochelyidae** Fitzinger, 1843

DERMOCHELYS Blainville, 1816

D. coriacea (Vandelli, 1761)

Family: **Emydidae** Gray, 1825

ACTINEMYS Agassiz, 1857

A. marmorata pallida (Seeliger, 1945)

CHRYSEMYS Gray, 1844

C. picta (Schneider, 1783)

PSEUDEMYS Gray, 1856

P. gorzugi Ward, 1984

TERRAPENE Merrem, 1820

T. carolina mexicana (Gray, 1849)

T. carolina yucatana (Boulenger, 1895)

T. coahuila Schmidt & Owens, 1944

T. nelsoni klauberi Bogert, 1943

T. nelsoni nelsoni Stejneger, 1925

T. ornata luteola Smith & Ramsey, 1952

TRACHEMYS Agassiz, 1857

T. gaigeae gaigeae (Hartweg, 1939)

T. gaigeae hartwegi (Legler, 1990)

T. nebulosa hiltoni (Carr, 1942)

T. nebulosa nebulosa (Van Denburgh, 1895)

T. ornata (Gray, 1831)

T. scripta elegans (Wied-Neuwied, 1838)

T. taylori (Legler, 1960)

T. venusta cataspila (Günther, 1885, *in* Günther, 1885-1902)

T. venusta grayi (Bocourt, 1868)

T. venusta venusta (Gray, 1856)

T. yaquia (Legler & Webb, 1970)

Family: **Geoemydidae** Theobald, 1868

RHINOCEMMYS Fitzinger, 1835

R. areolata (Duméril & Bibron, *in* Duméril & Dumeril, 1851)

R. pulcherrima incisa (Bocourt, 1868)

- R. pulcherrima pulcherrima** (Gray, 1856)
R. pulcherrima rogerbarbouri (Ernst, 1978)
R. rubida perixantha Mosimann & Rabb, 1953
R. rubida rubida (Cope, 1869 [1870])

Family: **Kinosternidae** Agassiz, 1857

CLAUDIUS Cope, 1865

C. angustatus Cope, 1865

KINOSTERNON Spix, 1824

- K. acutum** Gray, 1831
K. alamosae Berry & Legler, 1980
K. arizonense Gilmore, 1922
K. chimalhuaca Berry, Seidel & Iverson, 1997
K. creaseri Hartweg, 1934
K. durangoense Iverson, 1979
K. flavescens (Agassiz, 1857)
K. herrerae Stejneger, 1925
K. hirtipes chapalaense Iverson, 1981
K. hirtipes hirtipes Wagler, 1830
K. hirtipes magdalense Iverson, 1981
K. hirtipes megacephalum Iverson, 1981
K. hirtipes murrayi Glass & Hartweg, 1951
K. hirtipes tarascense Iverson, 1981
K. integrum LeConte, 1854
K. leucostomum leucostomum Duméril & Bibron, **in** Duméril & Duméril, 1851
K. oaxacae Berry & Iverson, 1980
K. scorpioides abaxilare Baur, **in** Stejneger, 1925
K. scorpioides cruentatum Duméril & Bibron, **in** Duméril & Duméril, 1851
K. sonoriense longifemorale Iverson, 1981
K. sonoriense sonoriense LeConte, 1854

STAUROTOPUS Wagler, 1830

- S. salvinii** Gray, 1864
S. triporcatus (Wiegmann, 1828)

STERNOTHERUS Gray, 1825

S. odoratus (Latreille, *in* Sonnini & Latreille, 1801)
(Probably extirpated.)

Family: **Testudinidae** Gray, 1825

GOPHERUS Rafinesque, 1832

G. agassizii (Cooper, 1863)
G. berlandieri (Agassiz, 1857)
G. flavomarginatus Legler, 1959

Family: **Trionychiidae** Gray, 1825

APALONE Rafinesque, 1832

A. ater (Webb & Legler, 1960)
A. spinifera emoryi (Agassiz, 1857)

SQUAMATA Oppel, 1811

AMPHISBAENIA Gray, 1844

Family: **Bipedidae** Stejneger, 1905

BIPES Latreille, 1802

B. biporus (Cope, 1894)
B. canaliculatus (Latreille, *in* Sonnini & Latreille, 1801)
B. tridactylus (Dugès, *in* Cope, 1894)

SAURIA Macartney, 1802

Family: **Anguidae** Cope, 1864

ABRONIA Gray, 1838

A. bogerti Tihen, 1954
A. chiszari Smith & Smith, 1981
A. deppii (Wiegmann, 1828)
A. fuscolabialis (Tihen, 1944)
A. graminea (Cope, 1864)
A. leurolepis Campbell & Frost, 1993
A. lythrochila Smith & Alvarez del Toro, 1963
A. martindelcampoii Flores-Villela & Sánchez-H., 2003
A. matudai (Hartweg & Tihen, 1946)

- A. mitchelli** Campbell, 1982
- A. mixteca** Bogert & Porter, 1967
- A. oaxaca** (Günther, 1885, *in* Salvin, 1880-1902)
- A. ochoterenai** (Martín del Campo, 1939)
- A. ornelasi** Campbell, 1984
- A. ramirezi** Campbell, 1994
- A. reidi** Werler & Shannon, 1961
- A. smithi** Campbell & Frost, 1993
- A. taeniata** (Wiegmann, 1828)

ANNIELLA Gray, 1852

- A. geronimensis** Shaw, 1940
- A. pulchra pulchra** Gray, 1852

BARISIA Gray, 1838

- B. herrerae** Zaldívar-Riverón & Nieto-Montes de Oca, 2002
- B. imbricata ciliaris** (Smith, 1942)
- B. imbricata imbricata** (Wiegmann, 1828)
- B. imbricata jonesi** Guilette & Smith, 1982
- B. imbricata planifrons** (Bocourt, 1878, *in* Duméril, Mocquard & Bocourt, 1873-1909)
- B. levicollis** Stejneger, 1890
- B. rudicollis** (Wiegmann, 1828)

DIPLOGLOSSUS Wiegmann, 1834

- D. enneagrammus** (Cope, 1860)
- D. ingridae** Werler & Campbell, 2004
- D. legnotus** Campbell & Camarillo R., 1994
- D. rozellae** (Smith, 1942)

ELGARIA Gray, 1838

- E. cedrosensis** (Fitch, 1934)
- E. kingii ferruginea** Webb, 1962
- E. kingii kingii** Gray, 1838
- E. kingii nobilis** Baird & Girard, 1852
- E. multicarinata ignave** (Van Denburgh, 1905)
- E. multicarinata webbii** (Baird, 1858 [1859])
- E. nana** (Fitch, 1934)
- E. paucicarinata** (Fitch, 1934)
- E. velazquezi** Grismer & Hollingsworth, 2001

GERRHONOTUS Wiegmann, 1828

- G. infernalis** Baird, 1858 (1859)
G. liocephalus Wiegmann, 1828
G. lugoi McCoy, 1970
G. ophiurus Cope, 1866
G. parvus Knight & Scudday, 1985

MESASPIS Cope, 1877

- M. antauges** (Cope, 1866)
M. gadovii gadovii (Boulenger, 1913)
M. gadovii levigata (Tihen, 1949)
M. juarezi Karges & Wright, 1987
M. moreletii rafaeli (Hartweg & Tihen, 1946)
M. moreletii temporalis (Hartweg & Tihen, 1946)
M. viridiflava (Bocourt, 1873)

OPHISAURUS Daudin, 1803

- O. ceroni** Holman, 1965
O. incomptus McConkey, 1955

Family: **Corytophanidae** Fitzinger, 1843

BASILISCUS Laurenti, 1768

- B. vittatus** Wiegmann, 1828

CORYTOPHANES Boie, **in** Schlegel, 1826 (1827)

- C. cristatus** (Merrem, 1820)
C. hernandesi (Wiegmann, **in** Gray, **in** Griffith, 1831)
C. percarinatus Duméril, 1856

LAEMANCTUS Wiegmann, 1834

- L. longipes deborrei** Boulenger, 1877
L. longipes longipes Wiegmann, 1834
L. serratus alticoronatus Cope, 1865
L. serratus mccoyi Pérez-Higareda & Vogt, 1985
L. serratus serratus Cope, 1864

Family: **Crotaphytidae** Smith & Brodie, 1982

CROTAPHYTUS Holbrook, 1842

- C. antiquus** Axtell & Webb, 1995
- C. collaris** (Say, 1823, *in* Long, 1823)
- C. dickersonae** Schmidt, 1922
- C. grismeri** McGuire, 1994
- C. insularis** Van Denburg & Slevin, 1921
- C. nebulosus** Axtell & Montanucci, 1977
- C. reticulatus** Baird, 1858 (1859)
- C. vestigium** Smith & Tanner, 1972

GAMBELIA Baird, 1858 (1859)

- G. copeii** (Yarrow, 1882)
- G. wislizenii** (Baird & Girard, 1852)

Family: **Dibamidae** Boulenger, 1884

ANELEYTROPIS Cope, 1885**A. papillosum** Cope, 1885

Family: **Gekkonidae** Stejneger, 1907

ARISTELLIGER Cope, 1861**A. georgeensis** (Bocourt, 1873, *in* Duméril, Mocquard & Bocourt, [1870-1909])**COLEONYX** Gray, 1845

- C. brevis** Stejneger, 1893
- C. elegans elegans** Gray, 1845
- C. elegans nemoralis** Klauber, 1945
- C. fasciatus** (Boulenger, 1885)
- C. gypsicolus** Grismer & Ottley, 1988
- C. reticulatus** Davis & Dixon, 1958
- C. switaki** (Murphy, 1974)
- C. variegatus abbotti** Klauber, 1945
- C. variegatus bogerti** Klauber, 1945
- C. variegatus peninsularis** Klauber, 1945
- C. variegatus slevini** Klauber, 1945
- C. variegatus sonoriensis** Klauber, 1945
- C. variegatus variegatus** (Baird, 1858 [1859])

GEHYRA Gray, 1834

G. mutilata (Wiegmann, 1834) (Introduced)

GONATODES Fitzinger, 1843

G. albogularis fuscus (Hallowell, 1855)

HEMIDACTYLUS (Oken, 1817)

- H. brookii brookii** Gray, 1845 (Introduced) (Probably extirpated)
H. frenatus Schlegel, in Duméril & Bibron, 1836 (Introduced)
H. mabouia (Moreau de Jonnès, 1818) (Introduced)
H. turcicus turcicus (Linnaeus, 1758) (Introduced)

PHYLLODACTYLUS Gray, 1828

- P. bordai** Taylor, 1942
P. bugastrolepis Dixon, 1966
P. davisi Dixon, 1964
P. delcampi Mosauer, 1936
P. duellmani Dixon, 1960
P. homolepidurus homolepidurus Smith, 1935
P. homolepidurus nolascoensis Dixon, 1964
P. lanei isabelae Castro-Franko & Uribe-Peña, 1992
P. lanei lanei Smith, 1935
P. lanei lupitae Castro-Franko & Uribe-Peña, 1992
P. lanei rupinus Dixon, 1964
P. muralis isthmus Dixon, 1964
P. muralis muralis Taylor, 1940
P. nocticulus acorius Dixon, 1966
P. nocticulus angulus Dixon, 1966
P. nocticulus circus Dixon, 1966
P. nocticulus coronatus Dixon, 1966
P. nocticulus estebanensis Dixon, 1966
P. nocticulus nocticulus Dixon, 1964
P. nocticulus sloani Bostic, 1971
P. nocticulus zweifeli Dixon, 1964
P. partidus Dixon, 1966
P. paucituberculatus Dixon, 1960
P. tuberculosus ingeri Dixon, 1964
P. tuberculosus magnus Taylor, 1942
P. tuberculosus saxatilis Dixon, 1964
P. unctus (Cope, 1863)

P. xanti (Cope, 1863)

SPHAERODACTYLUS Wagler, 1830

S. argus argus Gosse, 1850 (Introduced)

S. glaucus Cope, 1865 [1866]

S. millepunctatus (Hallowell, 1860 [1861])

THECADACTYLUS Goldfuss, 1829

T. rapicaudus (Houttuyn, 1782)

Family: **Helodermidae** Gray, 1837

HELODERMA Wiegmann, 1829

H. horridum alvarezi Bogert & Martin del Campo, 1956

H. horridum exasperatum Bogert & Martin del Campo, 1956

H. horridum horridum (Wiegmann, 1829)

H. suspectum suspectum Cope, 1860

Family: **Iguanidae** Oppel, 1811

CTENOSAURA Wiegmann, 1828

C. acanthura (Shaw, 1802)

C. alfredschmidti Köhler, 1995

C. clarki Bailey, 1928

C. conspicuosa Dickerson, 1919

C. defensor (Cope, 1866)

C. hemilopha hemilopha (Cope, 1863)

C. hemilopha interrupta Bocourt, 1882

C. macrolopha Smith, 1872

C. nolascensis Smith, 1972

C. oaxacana Köhler & Hasbun, 2001

C. pectinata (Wiegmann, 1834)

C. similis similis Gray, in Griffith, 1831

DIPSOSAURUS Hallowell, 1854

D. catalinensis Van Denburgh, 1922

D. dorsalis dorsalis (Baird & Girard, 1852)

D. dorsalis lucasensis Van Denburgh, 1920

D. sonoriensis Allen, 1933

IGUANA Laurenti, 1768**I. iguana** (Linnaeus, 1758)**SAUROMALUS** Duméril, 1856

- S. ater** Duméril, 1856
- S. hispidus** Stejneger, 1891
- S. klauberi** Shaw, 1941
- S. slevini** Van Denburgh, 1922
- S. varius** Dickerson, 1919

Family: **Phrynosomatidae** Blainville, 1835

CALLISAURUS Blainville, 1835

- C. draconoides bogerti** Martin del Campo, 1945
- C. draconoides brevipes** Bogert & Dorson, 1942
- C. draconoides carmenensis** Dickerson, 1919
- C. draconoides crinitus** Cope, 1896
- C. draconoides draconoides** Blainville, 1835
- C. draconoides inusitatus** Dickerson, 1919
- C. draconoides rhodostictus** Cope, 1896
- C. draconoides splendidus** Dickerson, 1919
- C. draconoides ventralis** (Hallowell, 1852)

COPHOSAURUS Troschel, 1850 (1852)

- C. texanus reticulatus** (Peters, 1951)
- C. texanus scitulus** (Peters, 1951)
- C. texanus texanus** Troschel, 1850 (1852)

HOLBROOKIA Girard, 1851

- H. approximans** Baird, 1858 (1859)
- H. elegans elegans** Bocourt, 1874, in Duméril, Mocquard & Bocourt, 1870-1909
- H. elegans thermophila** Barbour, 1921
- H. lacerata subcaudalis** Axtell, 1956
- H. maculata bunkeri** Smith, 1935
- H. maculata flavidenta** (Cope, 1883)
- H. propinqua piperata** Smith & Burger, 1950
- H. propinqua propinqua** Baird & Girard, 1852

PETROSAURUS Boulenger, 1885

- P. mearnsi** (Stejneger, 1894)
P. repens (Van Denburgh, 1895)
P. slevini (Van Denburgh, 1922)
P. thalassinus (Cope, 1863)

PHRYNOSOMA Wiegmann, 1828

- P. asio** Cope, 1864
P. blainvillii Gray, 1839
P. braconnieri Duméril & Bocourt, 1870, **in** Duméril, Mocquard & Bocourt, 1870-1909
P. cerroense Stejneger, 1893
P. cornutum (Harlan, 1824 [1825])
P. coronatum (Blainville, 1835)
P. ditmarsi Stejneger, 1906
P. goodei Stejneger, 1893
P. hernandesi brachycerum Smith, 1942
P. hernandesi hernandesi Girard, 1858
P. mcalli (Hallowell, 1852)
P. modestum Girard, 1852
P. orbiculare boucardii (Duméril & Bocourt, 1870, **in** Duméril, Mocquard & Bocourt, 1870-1909)
P. orbiculare bradti Horowitz, 1955
P. orbiculare cortezii (Duméril & Bocourt, 1870, **in** Duméril, Mocquard & Bocourt, 1870-1909)
P. orbiculare dugesii (Duméril & Bocourt, 1870, **in** Duméril, Mocquard & Bocourt, 1870-1909)
P. orbiculare orbiculare (Linnaeus, 1758)
P. orbiculare orientale Horowitz, 1955
P. platyrhinos calidiarum (Cope, 1896)
P. platyrhinos goodei Stejneger, 1893
P. solare Gray, 1845
P. taurus Dugès, 1873 (1874)
P. wigginsi Montanucci, 2004

SCELOPORUS Wiegmann, 1828

- S. acanthinus** Bocourt, 1873
S. adleri Smith & Savitsky, 1974
S. aeneus aeneus Wiegmann, 1828
S. aeneus subniger Poglayen & Smith, 1958
S. albiventris Smith, 1939
S. anahuacus Lara Góngora, 1983
S. angustus (Dickerson, 1919)

- S. **asper** Boulenger, 1897
S. **bicanthalis** Smith, 1937
S. **bimaculosus** Phelan & Brattstrom, 1955
S. **bulleri** Boulenger, 1894
S. **carinatus** Smith, 1936
S. **cautus** Smith, 1938
S. **chaneyi** Liner & Dixon, 1992
S. **chrysostictus** Cope, 1866
S. **clarkii boulengeri** Stejneger, 1893
S. **clarkii clarkii** Baird & Girard, 1852
S. **consobrinus** Baird & Girard, *in* Marcy, 1853
S. **couchii** Baird, 1858 (1859)
S. **cowlesi** Lowe & Norris, 1956
S. **cozumelae** Jones, 1927
S. **cryptus** Smith & Lynch, 1967
S. **cupreus** Bocourt, 1873
S. **cyanostictus** Axtell & Axtell, 1971
S. **dugesii dugesii** Bocourt, 1873
S. **dugesii intermedius** Dugès, 1877
S. **edbelli** Smith, Chiszar & Lemos-Espinal, 1995 (Replacement name for *S. belli*, 2002)
S. **edwardtaylori** Smith, 1936
S. **exsul** Dixon, Ketchersid & Lieb, 1972
S. **formosus formosus** Wiegmann, 1834
S. **formosus scitulus** Smith, 1942
S. **gadoviae** Boulenger, 1905
S. **goldmani** Smith, 1937
S. **grammicus disparilis** Stejneger, 1916
S. **grammicus grammicus** Wiegmann, 1828
S. **grammicus microlepidotus** Wiegmann, 1834
S. **grammicus tamaulipensis** Sites & Dixon, 1981
S. **grandaevus** (Dickerson, 1919)
S. **halli** Dasmann & Smith, 1974
S. **heterolepis** Boulenger, 1894
S. **horridus horridus** Wiegmann, 1834
S. **horridus oligoporus** Cope, 1864
S. **hunsakeri** Hall & Smith, 1979
S. **insignis** Webb, 1967
S. **internasalis** Smith & Bumzahem, 1955
S. **jalapae** Günther, 1890, *in* Günther, 1885-1902
S. **jarrovii jarrovii** Cope, *in* Yarrow, 1875
S. **jarrovii lineolateralis** Smith, 1936
S. **lemosespinali** Lara-Góngora, 2004
S. **licki** Van Denburgh, 1895
S. **lineatulus** Dickerson, 1919

- S. lundelli gaigeae** Smith, 1939
S. lundelli lundelli Smith, 1939
S. macdougalli Smith & Bumzahem, 1953
S. maculosus Smith, 1934
S. magister Hallowell, 1854
S. marmoratus Hallowell, 1852
S. megalepidurus megalepidurus Smith, 1934
S. megalepidurus pictus Smith, 1936
S. melanorhinus calligaster Smith, 1942
S. melanorhinus melanorhinus Bocourt, 1876
S. melanorhinus stuarti Smith, 1948
S. merriami annulatus Smith, 1937
S. merriami australis Williams, Smith & Chrapliwy, 1960
S. merriami ballingeri Lemos-Espinal, in Lemos-Espinal, Smith, Auth & Chiszar, 2001
S. merriami longipunctatus Olson, 1973
S. merriami merriami Stejneger, 1904
S. merriami sanojae Lemos-Espinal, in Smith, Lemos-Espinal & Chiszar, 2003
S. merriami williamsi Lemos-Espinal, Chiszar & Smith, 2000
S. minor cyaneus Treviño-Saldaña, 1988
S. minor erythrocyaneus Mertens, 1950
S. minor immucronatus Smith, 1936 (1937)
S. minor minor Cope, 1885
S. mucronatus aureolus Smith, 1942
S. mucronatus mucronatus Cope, 1885
S. mucronotus olsoni Webb, Lemos-Espinal & Smith, 2002
S. mucronotus omiltemanus Günther, 1890, in Günther, 1885-1902
S. nelsoni barrancorum Tanner & Robison, 1960
S. nelsoni nelsoni Cochran, 1923
S. oberon Smith & Brown, 1941
S. occidentalis longipes Baird, 1858 (1859)
S. ochoterenae Smith, 1934
S. olivaceus Smith, 1934
S. orcutti Stejneger, 1893
S. ornatus Baird, 1858 (1859)
S. palaciosi Lara-Góngora, 1983
S. parvus Smith, 1934
S. poinsettii amydrus Webb, 2006
S. poinsettii axtelli Webb, 2006
S. poinsettii macrolepis Smith & Chrapliwy, 1958
S. poinsettii poinsettii Baird & Girard, 1852
S. poinsettii polylepis Smith & Chrapliwy, 1958
S. prezygus Smith, 1942

- S. **pyrocephalus** Cope, 1864
S. **salvini** Günther, 1890, in Günther, 1885-1902
S. **samcolemani** Smith & Hall, 1974
S. **scalaris brownorum** Smith, Watkins-Colwell, Lemos-Espinal & Chiszar, 1997
S. **scalaris scalaris** Wiegmann, 1828
S. **scalaris unicantalis** Smith, 1937
S. **serrifer cyanogenys** Cope, 1885
S. **serrifer plioporus** Smith, 1939
S. **serrifer serrifer** Cope, 1866
S. **shannonorum** Langebartel, 1959
S. **siniferus** Cope, 1869
S. **slevini** Smith, 1937
S. **smaragdinus** Bocourt, 1873
S. **smithi** Hartweg & Oliver, 1937
S. **spinosus apicalis** Smith & Smith, 1951
S. **spinosus caeruleopunctatus** Smith, 1938
S. **spinosus spinosus** Wiegmann, 1828
S. **squamosus** Bocourt, 1874, in Duméril, Mocquard & Bocourt, 1870-1909
S. **stejnegeri** Smith, 1942
S. **subpictus** Lynch & Smith, 1965
S. **sugillatus** Smith, 1942
S. **taeniocnemis hartwegi** Stuart, 1971
S. **taeniocnemis taeniocnemis** Cope, 1885
S. **tanneri** Smith & Larsen, 1975
S. **teapensis** Günther, 1890, in Günther, 1885-1902
S. **torquatus binocularis** Dunn, 1936
S. **torquatus madrensis** Olson, 1986
S. **torquatus melanogaster** Cope, 1885
S. **torquatus mikeprestoni** Smith & Álvarez, 1976
S. **torquatus torquatus** Wiegmann, 1828
S. **undulatus speari** Smith, Chiszar, Lemos-Espinal & Bell, 1995
S. **uniformis** Phelan & Brattstrom, 1955
S. **utiformis** Cope, 1864
S. **vandenburgianus** Cope, 1896
S. **variabilis** Wiegmann, 1834
S. **virgatus** Smith, 1938
S. **zosteromus monserratensis** Van Denburgh & Slevin, 1921
S. **zosteromus rufidorsum** Yarrow, 1882
S. **zosteromus zosteromus** Cope, 1863

UMA Baird, 1858 (1859)

- U. exsul** Schmidt & Bogert, 1947
U. notata Baird, 1858 (1859)
U. paraphygas Williams, Chrapliwy & Smith, 1959
U. rufopunctata Cope, 1895

UROSAURUS Hallowell, 1854

- U. auriculatus** (Cope, 1871)
U. bicarinatus anonymorphus (Mittleman, 1940)
U. bicarinatus bicarinatus (Duméril, 1856)
U. bicarinatus nelsoni (Schmidt, 1921)
U. bicarinatus spinosus Bumhazem & Smith, 1954
U. bicarinatus tuberculatus (Schmidt, 1921)
U. clarionensis (Townsend, 1890)
U. gadovi (Schmidt, 1921)
U. graciosus graciosus Hallowell, 1854
U. graciosus shannoni Lowe, 1955
U. irregularis (Fischer, 1882)
U. lahtelai Rau & Loomis, 1977
U. nigricaudus (Cope, 1864)
U. ornatus caeruleus (Smith, 1935)
U. ornatus lateralis (Boulenger, 1883)
U. ornatus ornatus Baird & Girard, 1852)
U. ornatus schmidti (Mittleman, 1940)
U. ornatus schottii (Baird, 1858 [1859])
U. ornatus symmetricus (Baird, 1858 [1859])

UTA Baird & Girard, in Stansbury, 1852

- U. antiqua** Ballinger & Tinkle, 1968
U. encantadae Grismer, 1994
U. lowei Grismer, 1994
U. nolascensis Van Denburgh & Slevin, 1921
U. palmeri Stejneger, 1890
U. squamata Dickerson, 1919
U. stansburiana elegans Yarrow, 1882
U. stansburiana stejnegeri Schmidt, 1921
U. stansburiana taylori Smith, 1935
U. stellata Van Denburgh, 1905
U. tumidarostra Grismer, 1994

Family: **POLYCHROTIDAE** Fitzinger, 1843

ANOLIS Daudin, 1802

- A. **allisoni** Barbour, 1928
A. **alvarezdeltoro** Nieto-Montes de Oca, 1996
A. **anisolepis** Smith, Burley & Fritts, 1968
A. **baccatus** Bocourt, 1873, in Duméril, Mocquard & Bocourt, 1870-1909
A. **barkeri** Schmidt, 1939
A. **biporcatus biporcatus** (Wiegmann, 1834)
A. **breedlovei** Smith & Paulson, 1968
A. **capito** Peters, 1863
A. **carolinensis carolinensis** (Voigt, 1832)
A. **compressicauda** Smith & Kerster, 1955
A. **crassulus** Cope, 1864
A. **cristatellus** Duméril & Bibron, 1837 (Introduced)
A. **cumingii** Peters, 1863
A. **cuprinus** Smith, 1964
A. **cymbops** Cope, 1864
A. **damulus** Cope, 1864
A. **dolifusianus** Bocourt, 1873, in Duméril, Mocquard & Bocourt, 1870-1909
A. **duellmani** Fitch & Henderson, 1973
A. **dunni** Smith, 1936
A. **forbesi** Smith & Van Gelder, 1955
A. **gadovii** Boulenger, 1905
A. **hobartsmithi** Nieto-Montes de Oca, 1995
A. **isthmicus** Fitch, 1978
A. **laeviventris** (Wiegmann, 1834)
A. **lemurinus lemurinus** Cope, 1861
A. **liogaster** Boulenger, 1905
A. **macrinii** Smith, 1968
A. **matudai** Smith, 1956
A. **megapholidotus** Smith, 1933
A. **microlepidotus** Davis, 1954
A. **microlepis** Álvarez del Toro & Smith, 1956
A. **milleri** Smith, in Smith & Taylor, 1950
A. **naufragus** Campbell, Hillis & Lamar, 1989
A. **nebuloides** Bocourt, 1873, in Duméril, Mocquard & Bocourt, 1870-1909
A. **nebulosus** (Wiegmann, 1834)
A. **omiltemanus** Davis, 1954
A. **parvicirculata** Álvarez del Toro & Smith, 1956
A. **pentaprion beckeri** Boulenger, 1881
A. **pentaprion cristifer** Smith, 1968
A. **petersii** Bocourt, 1873, in Duméril, Mocquard & Bocourt, 1870-1909
A. **polyrhachis** Smith, 1968

- A. **pygmaeus** Álvarez del Toro & Smith, 1956
- A. **quercorum** Fitch, 1978
- A. **rodriguezii rodriguezii** Bocourt, 1873, in Duméril, Mocquard & Bocourt, 1870-1909
- A. **sagrei mayensis** Smith & Burger, 1949 (Introduced)
- A. **schiedii** (Wiegmann, 1834)
- A. **schmidti** Smith, 1939
- A. **sericeus** Hallowell, 1856
- A. **serranoi** (Köhler, 1999)
- A. **simmonsi** Holman, 1964
- A. **subocularis** Davis, 1954
- A. **taylori** Smith & Spieler, 1945
- A. **tropidonotus spilorhipis** Álvarez del Toro & Smith, 1956
- A. **tropidonotus tropidonotus** Peters, 1863
- A. **uniformis** Cope, 1885
- A. **utowanae** Barbour, 1932

Family: **Scincidae** Gray, 1825

MABUYA Fitzinger, 1826

- M. **unimarginata** Cope, 1862

MESOSCINCUS Griffith, Ngo & Murphy, 2000

- M. **altamirani** (Dugés, 1887-1890 [1891])
- M. **schwartzei** (Fischer, 1884)

PLESTIODON Duméril & Bibron, 1839

- P. **brevirostris bilineatus** (Tanner, 1958)
- P. **brevirostris brevirostris** (Günther, 1860)
- P. **brevirostris dicei** (Ruthven & Gaige, 1933)
- P. **brevirostris indubitus** (Taylor, 1933)
- P. **brevirostris pineus** (Axtell, 1960)
- P. **callicephalus** (Bocourt, 1879, in Duméril, Mocquard & Bocourt, 1870-1909)
- P. **colimensis** (Taylor, 1935)
- P. **copei** (Taylor, 1933)
- P. **dugesii** (Thominot, 1883)
- P. **gilberti rubricaudatus** (Taylor, 1935)
- P. **lagunensis** (Van Denburgh, 1895)
- P. **lynxe bellii** Gray, 1845
- P. **lynxe lynxe** (Wiegmann, 1834)
- P. **multilineatus** (Tanner, 1957)

- P. obsoleta** Baird & Girard, 1852
- P. ochoteranae** (Taylor, 1933)
- P. parviauriculatus** (Taylor, 1933)
- P. parvulus** (Taylor, 1933)
- P. skiltonianus interparietalis** (Tanner, 1957 [1958])
- P. sumichrasti** Cope, 1866
- P. tetragrammus brevilineatus** (Cope, 1880)
- P. tetragrammus tetragrammus** Baird, 1858

SCINCELLA Mittleman, 1950

- S. gemmingeri forbesorum** (Taylor, 1937)
- S. gemmingeri gemmingeri** (Cope, 1864)
- S. lateralis** (Say, in James, 1823)
- S. silvicola caudaequinae** (Smith, 1950, in Smith & Taylor, 1950)
- S. silvicola silvicola** (Taylor, 1937)

SPHENOMORPHUS Fitzinger, 1843

- S. assatus assatus** (Cope, 1864)
- S. assatus taylori** (Oliver, 1937)
- S. cherriei cherriei** (Cope, 1893)
- S. cherriei ixbaac** (Stuart, 1940)
- S. cherriei stuarti** (Smith, 1939)
- S. incertus** (Stuart, 1939)

Family: **Teiidae** Gray, 1827**AMEIVA** Meyer, 1795

- A. chaitzami** Stuart, 1942
- A. festiva edwardsii** Bocourt, 1873
- A. undulata** (Wiegmann, 1834)

ASPIDOSCELIS Fitzinger, 1843

- A. alpina** (Maslin & Walker, 1965)
- A. angusticeps angusticeps** (Cope, 1878)
- A. angusticeps petenensis** Beargie & McCoy, 1964
- A. bacatus** (Van Denburgh & Slevin, 1921)
- A. burti burti** (Taylor, 1938)
- A. burti griseocephala** (Zweifel, 1959)
- A. burti stictogramma** (Burger, 1950)
- A. calidipes** (Duellman, 1955)

- A. cana** (Van Denburgh & Slevin, 1921)
- A. carmenensis** (Maslin & Secoy, 1986)
- A. catalinensis** (Van Denburgh & Slevin, 1921)
- A. celeripes** (Dickerson, 1919)
- A. ceralbensis** (Van Denburgh & Slevin, 1921)
- A. communis communis** (Cope, 1878)
- A. communis mariarum** (Günther, 1885, in Günther, 1885-1902)
- A. costata barrancorum** (Zweifel, 1959)
- A. costata costata** (Cope, 1878)
- A. costata huico** (Zweifel, 1959)
- A. costata mazatlanensis** (Zweifel, 1959)
- A. costata nigrigularis** (Zweifel, 1959)
- A. costata occidentalis** (Gadow, 1906)
- A. costata zweifeli** (Duellman, 1960)
- A. cozumela** (Gadow, 1906) (Parthenogenetic)
- A. danheimae** (Burt, 1929)
- A. deppei deppei** (Wiegmann, 1834)
- A. deppei infernalis** (Duellman & Wellman, 1960)
- A. deppei schizophorus** (Smith & Brandon, 1968)
- A. dixoni** (Scudday, 1973) (Parthenogenetic)
- A. espiritensis** (Van Denburgh & Slevin, 1921)
- A. estebanensis** (Dickerson, 1919)
- A. exsanguis** (Lowe, 1956) (Parthenogenetic)
- A. francisensis** (Van Denburgh & Slevin, 1921)
- A. gularis colossus** (Dixon, Lieb & Ketchersid, 1971)
- A. gularis gularis** (Baird & Girard, 1852)
- A. gularis pallidus** (Duellman & Zweifel, 1962)
- A. gularis scalaris** (Cope, 1892)
- A. gularis semiannulatus** (Walker, 1967)
- A. gularis semifasciatus** (Cope, 1892)
- A. gularis septemvittatus** (Cope, 1892)
- A. guttata flavilineata** (Duellman & Wellman, 1960)
- A. guttata guttata** (Wiegmann, 1834)
- A. guttata immutabilis** (Cope, 1877)
- A. hyperythra** (Cope, 1863)
- A. inornata chihuahuae** (Wright & Lowe, 1993)
- A. inornata cienegae** (Wright & Lowe, 1993)
- A. inornata heptagramma** (Axtell, 1961)
- A. inornata inornata** (Baird, 1858 [1859])
- A. inornata llanuras** (Wright & Lowe, 1993)
- A. inornata paulula** (Williams, 1968)
- A. labialis** (Stejneger, 1890)
- A. laredoensis** (McKinney, Kay & Anderson, 1973)
(Parthenogenetic)
- A. lineatissima duodecemlineata** (Lewis, 1956)

- A. **lineatissima exorista** (Duellman & Wellman, 1960)
- A. **lineatissima lineatissima** (Cope, 1878)
- A. **lineatissima livida** (Duellman & Wellman, 1960)
- A. **marmorata marmorata** (Baird & Girard, 1852)
- A. **marmorata nigroriens** (Hendricks & Dixon, 1986)
- A. **marmorata pulchra** (Williams, Smith & Chrapliwy, 1960)
- A. **marmorata variolosus** (Cope, 1892)
- A. **martyris** (Stejneger, 1892)
- A. **maslini** (Fritts, 1969) (Parthenogenetic)
- A. **maxima** (Cope, 1864)
- A. **mexicana** (Peters, 1879)
- A. **motaguae** (Sackett, 1941)
- A. **neomexicana** (Lowe & Zweifel, 1962) (Parthenogenetic)
- A. **opatae** (Wright, 1967) (Parthenogenetic)
- A. **parvisocia** (Zweifel, 1960)
- A. **picta** (Van Denburgh & Slevin, 1921)
- A. **rodecki** (McCoy & Maslin, 1962)
- A. **sackii gigas** (Davis & Smith, 1952)
- A. **sackii sackii** (Wiegmann, 1834)
- A. **sexlineata** (Linnaeus, 1766) (Subspecies undetermined)
- A. **sonorae** (Lowe & Wright, 1964) (Parthenogenetic)
- A. **tesselata** (Say, in James, 1823) (Parthenogenetic)
- A. **tigris aethiops** (Cope, 1900)
- A. **tigris disparilis** (Dickerson, 1919)
- A. **tigris multiscutata** (Cope, 1892)
- A. **tigris punctata** (Walker & Maslin, 1964)
- A. **tigris punctilinealis** (Dickerson, 1919)
- A. **tigris rubida** (Cope, 1892)
- A. **tigris stejnegeri** (Van Denburgh, 1894)
- A. **tigris tigris** (Baird & Girard, 1852)
- A. **tigris vandenburgi** (Dickerson, 1919)
- A. **tigris vivida** (Walker, 1981)
- A. **uniparens** (Wright & Lowe, 1965) (Parthenogenetic)
- A. **xanthonota** (Duellman & Lowe, 1953)

GYMNOPHTHALMUS Merrem, 1820

- G. **speciosus sumichrastii** (Cope, 1876)

Family: **Xantusiidae** Baird, 1858

LEPIDOPHYMA Duméril, in Duméril & Duméril, 1851

- L. **chicoasense** Álvarez & Valetin, 1988
- L. **dontomasi** (Smith, 1942)

- L. flavimaculatum** Duméril, in Duméril & Duméril, 1851
- L. gaigeae** Mosauer, 1936
- L. lineri** Smith, 1973
- L. lipetzi** Smith & Álvarez del Toro, 1977
- L. lowei** Bezy & Camarillo R., 1997
- L. micropholis** Walker, 1955
- L. occular** Smith, 1942
- L. pajapanensis** Werler, 1957
- L. radula** (Smith, 1942)
- L. smithii** Bocourt, 1876
- L. sylvaticum** Taylor, 1939
- L. tarascae** Bezy, Webb & Álvarez, 1982
- L. tuxtlae** Werler & Shannon, 1957

XANTUSIA Baird, 1858 (1859)

- X. bolsonae** Webb, 1970
- X. extorris** Webb, 1966
- X. henshawi** Stejneger, 1893
- X. sanchezi** Bezy & Flores-Villela, 1999
- X. vigilis gilberti** Van Denburgh, 1895
- X. vigilis vigilis** Baird, 1858 (1859)
- X. wigginsi** Savage, 1952

Family: **Xenosauridae** Cope, 1866 (1867)**XENOSAURUS** Peters, 1861

- X. grandis agrenon** King & Thompson, 1968
- X. grandis arboreus** Lynch & Smith, 1965
- X. grandis grandis** (Gray, 1856)
- X. grandis rackhami** Stuart, 1941
- X. grandis sanmartinensis** Werler & Shannon, 1961
- X. newmanorum** Taylor, 1949
- X. penai** Pérez-Ramos, Saldaña De la Riva & Campbell, 2000
- X. phalaroanthereon** Nieto-Montes de Oca, Campbell & Flores-Villela, 2001
- X. platyceps** King & Thompson, 1968
- X. rectocollaris** Smith & Iverson, 1993

SERPENTES Linnaeus, 1758Family: **Boidae** Gray, 1842

BOA Linnaeus, 1758**B. constrictor imperator** Daudin, 1803**LICHANURA** Cope, 1861

- L. trivirgata bostici** Ottley, 1978
- L. trivirgata roseofusca** Cope, 1868
- L. trivirgata saslowi** Spitteri, 1987
- L. trivirgata trivirgata** Cope, 1861

Family: **Colubridae** Cope, 1886**ARIZONA** Kennicott, in Baird, 1859

- A. elegans arenicola** Dixon, 1960
- A. elegans eburnata** Klauber, 1946
- A. elegans elegans** Kennicott, in Baird, 1859
- A. elegans expolita** Klauber, 1946
- A. elegans noctivaga** Klauber, 1946
- A. elegans occidentalis** Blanchard, 1924
- A. elegans philipi** Klauber, 1946
- A. pacata** Klauber, 1946

BOGERTOPHIS Dowling & Price, 1988

- B. rosaliae** (Mocquard, 1899)
- B. subocularis amplinotus** Webb, 1990
- B. subocularis subocularis** (Brown, 1901)

CHILOMENISCUS Cope, 1860

- C. savagei** Cliff, 1954
- C. stramineus** Cope, 1860

CHIONACTIS Cope, 1860

- C. occipitalis annulata** (Baird, 1859)
- C. occipitalis klauberi** (Stickel, 1941)
- C. palarostris organica** Klauber, 1951
- C. palarostris palarostris** (Klauber, 1937)

COLUBER Linnaeus, 1758

- C. anthonyi** (Stejneger, 1901)

- C. **aurigulus** (Cope, 1861)
- C. **barbouri** Van Denburgh & Slevin, 1921
- C. **bilineatus** (Jan, 1863)
- C. **constrictor mormon** Baird & Girard, 1852
- C. **constrictor oaxaca** (Jan, 1863)
- C. **flagellum cingulum** (Lowe & Woodin, 1954)
- C. **flagellum lineatulus** (Smith, 1941)
- C. **flagellum piceus** (Cope, 1892)
- C. **flagellum testaceus** Say, 1823, in James, 1823
- C. **fuliginosus** (Cope, 1895)
- C. **lateralis lateralis** (Hallowell, 1853)
- C. **mentovarius mentovarius** (Duméril, Bibron & Duméril, 1854)
- C. **mentovarius striolatus** Mertens, 1934
- C. **mentovarius variolosus** (Smith, 1943)
- C. **schotti ruthveni** (Ortenburger, 1923)
- C. **schotti schotti** (Baird & Girard, 1853)
- C. **slevini** (Lowe & Norris, 1955)
- C. **taeniatus girardi** Stejneger & Barbour, 1917
- C. **taeniatus taeniatus** (Hallowell, 1852)

CONOPSIS Günther, 1858

- C. **acuta** (Cope, in Ferrari-Perez, 1886)
- C. **amphisticha** (Smith & Laufe, 1945)
- C. **biserialis** Taylor & Smith, 1942
- C. **lineata** (Kennicott, in Baird, 1859)
- C. **megalodon** (Taylor & Smith, 1942)
- C. **nasus** Günther, 1858

DENDROPHIDION Fitzinger, 1843

- D. **vinitor** Smith, 1941

DRYMARCHON Fitzinger, 1843

- D. **melanurus erebennus** (Cope, 1860)
- D. **melanurus melanurus** (Duméril, Bibron & Duméril, 1854)
- D. **melanurus orizabensis** (Dugès, 1905)
- D. **melanurus rubidus** Smith, 1941
- D. **melanurus unicolor** Smith, 1941

DRYMOBIUS Fitzinger, 1843

- D. **chloroticus** (Cope, 1886)
- D. **margaritiferus fistulosus** Smith, 1942

- D. margaritiferus margaritiferus** (Schlegel, 1837)
D. margaritiferus occidentalis Bocourt, 1890, **in** Duméril,
Mocquard & Bocourt, 1870-1909

FICIMIA Gray, 1849

- F. hardyi** Mendoza-Quijano & Smith, 1993
F. olivaceus Gray, 1849
F. publia Cope, 1866
F. ramirezi Smith & Langebartel, 1949
F. ruspator Smith & Taylor, 1941
F. streckeri Taylor, 1931
F. variegata (Günther, 1858)

GEAGRAS Cope, 1876

- G. redimitus** Cope, 1876

GYALOPION Cope, 1861

- G. canum** Cope, 1860
G. quadrangulare (Günther, 1893, **in** Salvin & Godman, 1885-
1902)

LAMPROPELTIS Fitzinger, 1843

- L. alterna** (Brown, 1901)
L. catalinensis (Van Denburgh & Slevin, 1921)
L. getula californiae (Blainville, 1835)
L. getula nigrita Zweifel & Norris, 1955
L. getula splendida (Baird & Girard, 1853)
L. herrerae Van Denburgh & Slevin, 1923
L. knoblochi Taylor, 1940
L. mexicana greeri Webb, 1961
L. mexicana mexicana (Garman, 1884)
L. mexicana thayeri Loveridge, 1924
L. pyromelana (Cope, 1867)
L. ruthveni Blanchard, 1920
L. triangulum abnorma (Bocourt, 1886, **in** Duméril, Mocquard &
Bocourt, 1870-1909)
L. triangulum annulata Kennicott, 1860
L. triangulum arcifera (Werner, 1903)
L. triangulum blanchardi Stuart, 1935
L. triangulum campbelli Quinn, 1983

- L. triangulum celaenops** Stejneger, 1902
- L. triangulum conanti** Williams, 1978
- L. triangulum dixoni** Quinn, 1983
- L. triangulum nelsoni** Blanchard, 1920
- L. triangulum oligozona** (Bocourt, 1886, in Duméril, Mocquard & Bocourt, 1870-1909)
- L. triangulum polyzona** (Cope, 1861)
- L. triangulum sinaloae** Williams, 1978
- L. triangulum smithi** Williams, 1978
- L. webbi** Bryson, Dixon & Lazcano, 2005
- L. zonata agalma** Van Denburgh & Slevin, 1923

LEPTOPHIS Bell, 1825

- L. ahaetulla praestans** (Cope, 1868)
- L. diplotropis diplotropis** (Günther, 1872)
- L. diplotropis forreri** Smith, 1943
- L. mexicanus mexicanus** Duméril, Bibron & Duméril, 1854
- L. mexicanus septentrionalis** Mertens, 1972
- L. mexicanus yucatanensis** Oliver, 1942
- L. modestus** (Günther, 1872)

LIOCHLOROPHIS Oldham & Smith, 1991

- L. vernalis blanchardi** (Grobman, 1941)

MASTIGODRYAS Amaral, 1933 (1934)

- M. cliftoni** (Hardy, 1964)
- M. dorsalis** (Bocourt, 1890, in Duméril, Mocquard & Bocourt, 1870-1909)
- M. melanolumus melanolumus** (Cope, 1868)
- M. melanolumus slevini** (Stuart, 1933)
- M. melanolumus stuarti** (Smith, 1943)
- M. melanolumus tehuanae** (Smith, 1943)
- M. melanolumus veraecrucis** (Stuart, 1941)

OPHEODRYS Fitzinger, 1843

- O. aestivus majalis** (Baird & Girard, 1853)

OXYBELIS Wagler, 1830

- O. aeneus** (Wagler, 1824)

O. fulgidus (Daudin, 1803)**PANTHEROPHIS** Fitzinger, 1843

- P. bairdi** (Yarrow, in Cope, 1880)
P. emoryi (Baird & Girard, 1853)

PHYLLORHYNCHUS Stejneger, 1890

- P. browni** Stejneger, 1890
P. decurtatus (Cope, 1868)

PITUOPHIS Holbrook, 1842

- P. catenifer affinis** (Hallowell, 1852)
P. catenifer annectens Baird & Girard, 1853
P. catenifer coronalis Klauber, 1946
P. catenifer fuliginatus Klauber, 1946
P. catenifer sayi (Schlegel, 1837)
P. deppei deppei (Duméril, Bibron & Duméril, 1854)
P. deppei jani (Cope, 1860 [1861])
P. insulanus Klauber, 1946
P. lineaticollis gibsoni Stuart, 1954
P. lineaticollis lineaticollis (Cope, 1860 [1861])
P. vertebralis bimaris Klauber, 1946
P. vertebralis vertebralis (Blainville, 1835)

PROCINURA Cope, 1879

- P. aemula** Cope, 1879

PSEUDELAPHE Mertens & Rosenberg, 1943

- P. flavirufa flavirufa** (Cope, 1866 [1867])
P. flavirufa matudai (Smith, 1941)
P. flavirufa pardalina (Peters, 1868)
P. phaescens (Dowling, 1952)

PSEUDOFICIMIA Bocourt, 1883

- P. frontalis** (Cope, 1864)

PSEUSTES Fitzinger, 1843

- P. poecilonotus argus** (Bocourt, 1888, in Duméril, Mocquard &

Bocourt, 1870-1909)

P. poecilonotus poecilonotus (Günther, 1858)

RHINOCHЕILUS Baird & Girard, 1853

R. lecontei etheridgei Grismer, 1990

R. lecontei lecontei Baird & Girard, 1853

SALVADORA Baird & Girard, 1853

S. bairdi Jan, 1860, in Jan & Sordelli, 1860-1866

S. grahamiae grahamiae Baird & Girard, 1853

S. grahamiae lineata Schmidt, 1940

S. hexalepis deserticola Schmidt, 1940

S. hexalepis hexalepis (Cope, 1866)

S. hexalepis klauberi Bogert, 1945

S. hexalepis virgultea Bogert, 1935

S. intermedia Hartweg, 1940

S. lemniiscata (Cope, 1895 [1896])

S. mexicana (Duméril, Bibron & Duméril, 1854)

SCAPHIODONTOPHIS Taylor & Smith, 1943

S. annulatus (Duméril, Bibron & Duméril, 1854)

SENTICOLIS Dowling & Fries, 1987

S. triaspis intermedia (Boettger, 1883)

S. triaspis triaspis (Cope, 1866)

SONORA Baird & Girard, 1853

S. aequalis Smith & Taylor, 1945

S. michoacanensis Dugès, in Cope, 1884 [1885]

S. mutabilis Stickle, 1943

S. semiannulata semiannulata Baird & Girard, 1853

S. semiannulata taylori (Boulenger, 1894)

SPILOTES Wagler, 1830

S. pullatus (Linnaeus, 1758)

STENORRHINA Duméril, 1853

S. degenhardtii mexicana (Steindachner, 1867)

S. freminvillii Duméril, Bibron & Duméril, 1854

SYMPHIMUS Cope, 1869 (1870)

S. leucostomus Cope, 1869 (1870)

S. mayae (Gaige, 1936)

SYMPHOLIS Cope, 1861 (1862)

S. lippiens Cope, 1861 (1862)

TANTILLA Baird & Girard, 1853

T. atriceps (Günther, 1895, *in* Salvin & Godman, 1885-1902)

T. bocourti (Günther, 1895, *in* Salvin & Godman, 1885-1902)

T. briggsi Savitzky & Smith, 1971

T. calamarina Cope, 1866 [1867]

T. cascadae Wilson & Meyer, 1981

T. coronadoi Hartweg, 1944

T. cuniculator Smith, 1939

T. deppei (Bocourt, 1883, *in* Duméril, Mocquard & Bocourt, 1870-1909)

T. flavilineata Smith & Burger, 1950

T. gracilis Baird & Girard, 1853

T. hobartsmithi Taylor, 1936 (1937)

T. impensa Campbell, 1998

T. johnsoni Wilson, Vaughan & Dixon, 1999

T. moesta (Günther, 1863)

T. nigriceps Kennicott, 1860

T. oakacae Wilson & Meyer, 1971

T. planiceps (Blainville, 1835)

T. robusta Canseco-Márquez, Mendelson, III & Gutiérrez-Mayén, 2002

T. rubra Cope, 1875 (1876)

T. schistosa (Bocourt, 1883, *in* Duméril, Mocquard & Bocourt, 1870-1909)

T. sertula Wilson & Campbell, 2000

T. shawi Taylor, 1949

T. slavensi Pérez-Higareda, Smith & Smith, 1985

T. striata Dunn, 1928

T. tayrae Wilson, 1983

T. triseriata Smith & Smith, 1951

T. vulcani Campbell, 1998

T. wilcoxi Stejneger, 1902

T. yaquia Smith, 1942

TANTILLITA Smith, 1941

- T. brevissima** (Taylor, 1937)
T. canula (Cope, 1975 [1876])
T. lintoni rozellae Pérez-Higareda, 1985

TRIMORPHODON Cope, 1861

- T. biscutatus biscutatus** (Duméril, Bibron & Duméril, 1854)
T. biscutatus lambda Cope, 1886
T. biscutatus lyrophanes Cope, 1860
T. biscutatus quadruplex Smith, 1941
T. tau latifascia (Peters, 1869)
T. tau tau Cope, 1969 [1870]
T. vilkinsonii Cope, 1886

Family: **Crotalidae** Gray, 1825

AGKISTRODON Palisot de Beauvois, 1799

- A. bilineatus bilineatus** (Günther, 1863)
A. bilineatus lemosespinali Smith & Chiszar, 2001
A. bilineatus russeolus Gloyd, 1972
A. contortrix pictigaster Gloyd & Conant, 1943
A. taylori Burger & Robertson, 1951

ATROPOIDES Werman, 1992

- A. mexicanus** (Duméril, Bibron & Duméril, 1854)
A. nummifer (Rüppell, 1845)
A. occiduus (Hoge, 1965 [1966])
A. olmec (Pérez-Higareda, Smith & Juliá-Zertuche, 1985)

BOTHRIECHIS Peters, 1859

- B. aurifer** (Salvin, 1860)
B. bicolor (Bocourt, 1868)
B. rowleyi (Bogert, 1968)
B. schlegelii (Berthold, 1845 [1846])

BOTHROPS Wagler, 1824

- B. asper** (Garman, 1883 [1884])

CERROPHIDION Campbell & Lamar, 1992

- C. barbouri** (Dunn, 1919)

- C. **godmani** (Günther, 1863)
- C. **petlalcalensis** López-Luna, Vogt & de la Torre-Loranca, 1999
- C. **tzotzilorum** (Campbell, 1985)

CROTALUS Linnaeus, 1758

- C. **angelensis** Klauber, 1963
- C. **aquilus** Klauber, 1952
- C. **atrox** Baird & Girard, 1853
- C. **basiliscus** (Cope, 1864)
- C. **caliginis** Klauber, 1949
- C. **catalinensis** Cliff, 1954
- C. **cerastes cercobombus** Savage & Cliff, 1953
- C. **cerastes laterorepens** Klauber, 1944
- C. **culminatus** Klauber, 1952
- C. **enyo cerralvensis** Cliff, 1954
- C. **enyo enyo** (Cope, 1861)
- C. **enyo furvus** Lowe & Norris, 1954
- C. **estebanensis** Klauber, 1949
- C. **intermedius gloydi** Taylor, 1941
- C. **intermedius intermedius** Troschel, in Müller, 1865
- C. **intermedius omiltemanus** Günther, 1895, in Salvin & Godman, 1885-1902
- C. **lannomi** Tanner, 1966
- C. **lepidus klauberi** Gloyd, 1936
- C. **lepidus lepidus** (Kennicott, 1861)
- C. **lepidus maculosus** Tanner, Dixon & Harris, 1972
- C. **lepidus morulus** Klauber, 1952
- C. **lorenzoensis** Radcliffe & Maslin, 1975
- C. **mitchelli mitchelli** (Cope, 1861)
- C. **mitchelli pyrrhus** (Cope, 1866 [1867])
- C. **molossus molossus** Baird & Girard, 1853
- C. **molossus nigrescens** Gloyd, 1936
- C. **molossus oaxacus** Gloyd, 1948
- C. **muertensis** Klauber, 1949
- C. **oreganus helleri** Meek, 1905
- C. **polystictus** (Cope, 1865)
- C. **pricei miquihuanus** Gloyd, 1940
- C. **pricei pricei** Van Denburgh, 1895
- C. **pusillus** Klauber, 1952
- C. **ravus brunneus** (Harris & Simmons, 1978)
- C. **ravus exiguus** (Campbell & Armstrong, 1979)
- C. **ravus ravus** Cope, 1865
- C. **ruber** Cope, 1892

- C. **scutulatus salvini** Günther, 1895, in Salvin & Godman, 1885-1902
- C. **scutulatus scutulatus** (Kennicott, 1861)
- C. **simus** Latreille, in Sonnini & Latreille, 1801
- C. **stejnegeri** Dunn, 1919
- C. **tancitaiensis** Alvarado-Diaz & Campbell, 2004
- C. **tigris** Kennicott, in Baird, 1859
- C. **tortugensis** Van Denburgh & Slevin, 1921
- C. **totonacus** Gloyd & Kauffeld, 1940
- C. **transversus** Taylor, 1944
- C. **triseriatus armstrongi** Campbell, 1979
- C. **triseriatus triseriatus** (Wagler, 1830)
- C. **tzabcan** Klauber, 1952
- C. **viridis viridis** (Rafinesque, 1818)
- C. **willardi amabilis** Anderson, 1962
- C. **willardi meridionalis** Klauber, 1949
- C. **willardi obscurus** Harris & Simmons, 1976
- C. **willardi silus** Klauber, 1949
- C. **willardi willardi** Meek, 1905

OPHRYACUS Cope, 1887

- O. **melanurus** (Müller, 1924)
- O. **undulatus** (Jan, 1859)

PORTHIDIUM Cope, 1871

- P. **dunni** (Hartweg & Oliver, 1938)
- P. **hespere** (Campbell, 1976)
- P. **nasutum** (Bocourt, 1868)
- P. **yucatanicum** (Smith, 1941)

SISTRURUS Garman, 1883

- S. **catenatus edwardsii** (Baird & Girard, 1853)

Family: **Dipsadidae** Günther, 1858

ADELPHICOS Jan, 1862

- A. **latifasciatum** Lynch & Smith, 1966
- A. **nigrilatum** Smith, 1942
- A. **quadrivirgatum newmanorum** Taylor, 1950
- A. **quadrivirgatum quadrivirgatum** Jan, 1862
- A. **sargii** (Fischer, 1885)

A. visoninum acutirostrum Bocourt, 1883**AMASTRIDIUM** Cope, 1860 (1861)**A. sapperi** Werner, 1903**CHERSODROMUS** Reinhardt, 1860**C. liebmanni** Reinhardt, 1860**C. rubriventris** (Taylor, 1949)**CONIOPHANES** Hallowell, 1860**C. alvarezi** Campbell, 1989**C. bipunctatus bipunctatus** (Günther, 1858)**C. bipunctatus biseriatus** Smith, 1940**C. fissidens convergens** Shannon & Smith, 1950**C. fissidens dispersus** Smith, 1941**C. fissidens fissidens** (Günther, 1858)**C. fissidens proterops** Cope, 1860**C. fissidens punctigularis** Cope, 1860**C. imperialis clavatus** (Peters, 1864)**C. imperialis copei** Hartweg & Oliver, 1938**C. imperialis imperialis** (Kennicott, 1859, in Baird, 1859)**C. lateritius** Cope, 1861 (1862)**C. melanocephalus** (Peters, 1869 [1870])**C. meridianus** Schmidt & Andrews, 1936**C. piceivittis frangivirgatus** Peters, 1950**C. piceivittis piceivittis** Cope, 1869(1870)**C. piceivittis taylori** Hall, 1951**C. quinquevittatus** (Duméril, Bibron & Duméril, 1854)**C. sarae** Ponce-Campos & Smith, 2001**C. schmidti** Bailey, 1937**CRYOPHIS** Bogert & Duellman, 1963**C. hallbergi** Bogert & Duellman, 1963**DIADOPHIS** Baird & Girard, 1853**D. punctatus anthonyi** Van Denburgh & Slevin, 1923**D. punctatus dugesii** Villarda, 1875**D. punctatus regalis** Baird & Girard, 1853**D. punctatus similis** Blanchard, 1923

DIPSAS Laurenti, 1768

- D. brevifacies** (Cope, 1866)
- D. gaigeae** (Oliver, 1937)
- D. maxillaris** (Werner, 1909)

ENULIUS Cope, 1871

- E. flavitorques sumichrasti** Bocourt, 1883, *in* Duméril, Mocquard & Bocourt, 1870-1901
- E. flavitorques unicolor** (Fischer, 1880)
- E. oligostichus** Smith, Arndt & Sherbrook, 1967

ERIDIPHAS Leviton & Tanner, 1960

- E. slevini** (Tanner, 1943)

GEOPHIS Wagler, 1830

- G. anocularis** Dunn, 1920
- G. bicolor** Günther, 1868
- G. blanchardi** Taylor & Smith, 1939
- G. cancellatus** Smith, 1941
- G. carinosus** Stuart, 1941
- G. chalybeus** (Wagler, 1830)
- G. dubius** (Peters, 1861)
- G. duellmani** Smith & Holland, 1969
- G. dugesii aquilonaris** Legler, 1959
- G. dugesii dugesii** Bocourt, 1883, *in* Duméril, Mocquard & Bocourt, 1870-1909
- G. immaculatus** Downs, 1967
- G. incomptus** Duellman, 1959
- G. isthmicus** (Boulenger, 1894)
- G. juarezi** Nieto-Montes de Oca, 2003
- G. juliai** Pérez-Higareda, Smith & Lopez-Luna, 2001
- G. laticinctus** Smith & Williams, 1963
- G. laticollaris** Smith, Lynch & Altig, 1965
- G. latifrontalis latifrontalis** Garman, 1883
- G. latifrontalis semiannulatus** Smith, 1941
- G. maculiferus** Taylor, 1941 (1942)
- G. mutitorques** (Cope, 1885)
- G. nasalis** (Cope, 1868)
- G. nigrocinctus** Duellman, 1959
- G. omiltemanus** Günther, 1893, *in* Salvin & Godman, 1885-1902
- G. petersii** Boulenger, 1894

- G. **pyburni** Campbell & Murphy, 1977
- G. **rhodogaster** (Cope, 1868)
- G. **rostralis** Jan, 1864, *in* Jan & Sordelli, 1860-1866
- G. **russatus** Smith & Williams, 1966
- G. **sallaei** Boulenger, 1894
- G. **semidoliatus** (Duméril, Bibron & Duméril, 1854)
- G. **sieboldii** (Jan, 1862)
- G. **tarascae** Hartweg, 1959

HYPSIGLENA Cope, 1860

- H. **affinis** Boulenger, 1894
- H. **chlorophaea catalinae** Tanner, 1966
- H. **chlorophaea chlorophaea** Cope, 1960
- H. **chlorophaea deserticola** Tanner, 1844
- H. **jani dunklei** Taylor, 1938
- H. **jani jani** (Dugès, 1865)
- H. **jani texana** Stejneger, 1893
- H. **ochororhyncha baueri** Zweifel, 1958
- H. **ochororhyncha gularis** Tanner, 1954
- H. **ochororhyncha klauberi** Tanner, 1944
- H. **ochororhyncha martinensis** Tanner & Banta, 1962
- H. **ochororhyncha ochororhyncha** Cope, 1860
- H. **ochororhyncha unaocularis** Tanner, 1944
- H. **ochororhyncha venusta** Mocquard, 1899
- H. **tanzeri** Dixon & Lieb, 1972
- H. **torquata** (Günther, 1860)

IMANTODES Duméril & Bibron, 1853

- I. **cenchoa leucomelas** (Cope, 1861)
- I. **gemmastratus gemmastratus** Cope, 1869 (1861)
- I. **gemmastratus gracillimus** (Günther, 1895, *in* Salvin & Godman, 1885-1902)
- I. **gemmastratus latistratus** (Cope, 1887)
- I. **gemmastratus luciodorsus** Oliver, 1942
- I. **gemmastratus reticulatus** (Müller, 1880)
- I. **gemmastratus splendidus** (Günther, 1895. *in* Salvin & Godman, 1885-1902)
- I. **tenuissimus** Cope, 1866 (1867)

LEPTODEIRA Fitzinger, 1843

- L. **annulata cussiliris** Duellman, 1958
- L. **frenata frenata** (Cope, 1886. *in* Ferrari-Perez, 1886)

- L. frenata malleisi** Dunn & Stuart, 1935
- L. frenata yucatanensis** (Cope, 1887)
- L. maculata** (Hallowell, 1860 [1861])
- L. nigrofasciata** Günther, 1868
- L. punctata** (Peters, 1866)
- L. septentrionalis polysticta** Günther, 1895, *in* Salvin & Godman, 1885-1902
- L. septentrionalis septentrionalis** (Kennicott, 1859, *in* Baird, 1959)
- L. splendida bressoni** Taylor, 1938
- L. splendida ephippiata** Smith & Tanner, 1944
- L. splendida splendida** Günther, 1895, *in* Salvin & Godman, 1885-1902

NINIA Baird & Girard, 1853

- N. diademata diademata** Baird & Girard, 1853
- N. diademata labiosa** (Bocourt, 1883, *in* Duméril, Mocquard & Bocourt, 1870-1909)
- N. diademata nietoi** Burger & Werler, 1954
- N. diademata plorator** Smith, 1942
- N. sebae morleyi** Schmidt & Andrews, 1936
- N. sebae punctulata** (Bocourt, 1993, *in* Duméril, Mocquard & Bocourt, 1870-1909)
- N. sebae sebae** (Duméril, Bibron & Duméril, 1854)

PLIOCERCUS Cope, 1860

- P. andrewsi** Smith, 1942
- P. bicolor bicolor** Smith, 1941
- P. bicolor hobartsmithi** Liner, 1960
- P. elapoides aequalis** (Salvin, 1861)
- P. elapoides diastema** (Bocourt, 1886, *in* Duméril. Mocquard & Bocourt, 1870-1909)
- P. elapoides elapoides** Cope, 1860
- P. elapoides occidentalis** Smith & Landy, 1965
- P. elapoides wilmarai** Smith, Pérez-Higareda & Chiszar, 1996

PSEUDOLETEODEIRA Taylor, 1938 (1939)

- P. latifasciata** (Günther, 1894, *in* Salvin & Godman, 1885-1902)
- P. uribei** Ramirez-Bautista & Smith, 1992

RHADINAEA Cope, 1863

- R. **bogertorum** Myers, 1974
R. **cuneata** Myers, 1974
R. **decorata** (Günther, 1858)
R. **forbesi** Smith, 1942
R. **fulvittis** Cope, 1875
R. **gaigeae** Bailey, 1937
R. **godmani** (Günther, 1865)
R. **hannsteini** (Stuart, 1949)
R. **hesperia** Bailey, 1940
R. **kanalchutchan** Mendelson, III & Kizirian, 1995
R. **kinkelini** Boettger, 1898
R. **lachrymans** (Cope, 1869 (1870))
R. **laureata** (Günther, 1968)
R. **macdougalli** Smith & Langebartel, 1949 (1950)
R. **marcellae** Taylor, 1949
R. **montana** Smith, 1944
R. **myersi** Rossman, 1965
R. **omiltemana** (Günther, 1894, in Salvin & Godman, 1885-1902)
R. **posadasi** (Slevin, 1936)
R. **quinquelineata** Cope, 1885 (1886)
R. **schistosa** (Smith, 1941)
R. **taeniata aemula** Bailey, 1940
R. **taeniata taeniata** (Peters, 1863)

RHADINOPHANES Myers & Campbell, 1981

- R. **monticola** Myers & Campbell, 1981

SIBON Fitzinger, 1826

- S. **dimidiatus dimidiatus** (Günther, 1872)
S. **dimidiatus grandoculis** (Müller, 1887)
S. **linearis** Pérez-Higareda, López-Luna & Smith, 2002
S. **nebulatus nebulatus** (Linnaeus, 1758)
S. **sanniulus sanniulus** (Cope, 1866)

TANTALOPHIS Duellman, 1958

- T. **discolor** (Günther, 1860)

TROPIDODIPSAS Günther, 1858

- T. **annulifera** Boulenger, 1894
T. **fasciata fasciata** Günther, 1858
T. **fasciata guerreroensis** Taylor, 1939 [1940]

- T. fasciata subannulata** (Müller, 1887)
- T. fischeri fischeri** Boulenger, 1894
- T. philippii** (Jan, 1863)
- T. repleta** Smith, Lemos-Espinal, Hartmann & Chiszar, 2005
- T. sartorii annulatus** (Peters, 1870)
- T. sartorii macdougalli** Smith, 1943
- T. sartorii sartorii** Cope, 1863
- T. zweifeli** Liner & Wilson, 1970

Family: **Elapidae** Boie, 1827

MICRUROIDES Schmidt, 1928

- M. euryxanthus australis** Zweifel & Norris, 1955
- M. euryxanthus euryxanthus** (Kennicott, 1860)
- M. euryxanthus neglectus** Roze, 1967

MICRURUS Wagler, 1824

- M. bernadi** (Cope, 1887)
- M. bogerti** Roze, 1967
- M. browni browni** Schmidt & Smith, 1943
- M. browni taylori** Schmidt & Smith, 1943
- M. diastema affinis** (Jan, 1858)
- M. diastema alienus** (Werner, 1903)
- M. diastema apiatus** (Jan, 1858)
- M. diastema diastema** (Duméril, Bibron & Duméril, 1854)
- M. diastema macdougalli** Roze, 1967
- M. diastema sapperi** (Werner, 1903)
- M. distans distans** (Kennicott, 1860)
- M. distans michoacanensis** (Dugès, 1891)
- M. distans oliveri** Roze, 1967
- M. distans zweifeli** Roze, 1967
- M. elegans elegans** (Jan, 1858)
- M. elegans veraepacis** Schmidt, 1933
- M. epippifer ephippifer** (Cope, 1886)
- M. epippifer zapotecus** Roze, 1989
- M. laticollaris laticollaris** (Peters, 1869)
- M. laticollaris macullirostris** Roze, 1967
- M. latifasciatus** Schmidt, 1933
- M. limbatus limbatus** Fraser, 1964
- M. limbatus spilosomus** Pérez-Higareda & Smith, 1990
- M. nebularis** Roze, 1989
- M. nigrocinctus zunilensis** Schmidt, 1932
- M. pachecogili** Campbell, 2000

- M. proximans** Smith & Chrapliwy, 1958
M. tamaulipensis Lavin-Murcio & Dixon, 2004
M. tener fitzingeri (Jan, 1858)
M. tener maculatus Roze, 1967
M. tener microgalbineus Brown & Smith, 1942
M. tener tener (Baird & Girard, 1853)

Family: **Hydrophiidae** Boie, 1827

LATICauda Laurenti, 1768

L. colubrina (Schneider, 1799)

PELAMIS Daudin, 1803

P. platura (Linnaeus, 1766)

Family: **Leptotyphlopidae** Fitzinger, 1843

LEPTOTYPHLOPS Fitzinger, 1843

- L. bressoni** Taylor, 1939
L. dissectus (Cope, 1896)
L. dugesii (Bocourt, 1881)
L. dulcis rubellum (Garman, 1883 [1884])
L. goudotii bakewelli Oliver, 1937
L. goudotii phenops (Cope, 1875)
L. humilis boettgeri (Werner, 1899)
L. humilis cahuilae Klauber, 1931
L. humilis chihuahuaensis Tanner, 1985
L. humilis humilis (Baird & Girard, 1853)
L. humilis levitoni Murphy, 1975
L. humilis lindsayi Murphy, 1975
L. humilis segregus Klauber, 1939
L. humilis tenuiculus (Garman, 1883 ([1884]))
L. maximus Loveridge, 1932
L. myopicus iversoni Smith, Van Breukelen, Auth & Chiszar, 1998
L. myopicus myopicus (Garman, 1883 [1884])

Family: **Loxocemidae** Cope, 1864

LOXOCEMUS Cope, 1861

L. bicolor Cope, 1861

Family: **Natricidae** Cope, 1895**ADELOPHIS** Dugès, 1861

- A. copei** Dugès, in Cope, 1879
A. foxi Rossman & Blaney, 1968

NERODIA Baird & Girard, 1853

- N. erythrogaster alta** (Conant, 1963)
N. erythrogaster bogerti (Conant, 1953)
N. erythrogaster transversa (Hallowell, 1852)
N. fasciata pictiventris (Cope, 1895). (Introduced). (Yet to be officially recognized with voucher specimens.)
N. rhombifer blanchardi (Clay, 1938)
N. rhombifer rhombifer (Hallowell, 1852)
N. rhombifer werleri (Conant, 1953)

STORERIA Baird & Girard, 1853

- S. dekayi anomala** Dugès, 1888
S. dekayi temporalis Trapido, 1944
S. dekayi texana Trapido, 1944
S. dekayi tropica Cope, 1885
S. hidalgoensis Taylor, 1942
S. storerioides (Cope, 1865)

THAMNOPHIS Fitzinger, 1843

- T. bogerti** Rossman & Burbrink, 2005
T. chrysocephalus (Cope, 1884 [1995])
T. conanti Rossman & Burbrink, 2005
T. cyrtopsis collaris (Jan, 1863)
T. cyrtopsis cyrtopsis (Kennicott, 1860)
T. elegans hueyi Van Denburgh & Slevin, 1923
T. eques carmenensis Conant, 2003
T. eques cuitzeoensis Conant, 2003
T. eques diluvialis Conant, 2003
T. eques eques (Reuss, 1834)
T. eques insperatus Conant, 2003
T. eques megalops (Kennicott, 1860)
T. eques obscurus Conant, 2003
T. eques patzcuaroensis Conant, 2003
T. eques scotti Conant, 2003
T. eques virgatenuis Conant, 1963

- T. errans** Smith, 1942
T. fulvus (Bocourt, 1893, **in** Duméril, Mocquard & Bocourt, 1870-1909)
T. godmani (Günther, 1894, **in** Salvin & Godman, 1885-1902)
T. hammondii (Kennicott, 1860)
T. lineri Rossman & Burbrink, 2005
T. marcianus marcianus (Baird & Girard, 1853)
T. marcianus paeocularis (Bocourt, 1892)
T. melanogaster canescens Smith, 1942
T. melanogaster chihuahuaensis Tanner, 1959
T. melanogaster linearis Smith, Nixon & Smith, 1950
T. melanogaster melanogaster (Peters, 1864)
T. mendax Walker, 1955
T. nigronuchalis Thompson, 1957
T. postremus Smith, 1942
T. proximus alpinus Rossman, 1963
T. proximus diabolicus Rossman, 1963
T. proximus orarius Rossman, 1963
T. proximus rutiloris (Cope, 1885)
T. pulchrilatus (Cope, 1884 [1885])
T. rossmani Conant, 2000
T. rufipunctatus (Cope, **in** Yarrow, 1875)
T. scalaris Cope, 1860 (1861)
T. scaliger (Jan, 1863)
T. sirtalis dorsalis (Baird & Girard, 1853)
T. sumichrasti (Cope, 1886 [1867])
T. validus celaeno (Cope, 1860)
T. validus isabellaea (Conant, 1953)
T. validus thamnophisoides (Conant, 1961)
T. validus validus (Kennicott, 1860)

Family: **Typhlopidae** Jan, 1863

RAMPHOTYPHLOPS Fitzinger, 1843

R. braminus (Daudin, 1803). (Introduced) (Parthenogenetic)

TYPHLOPS Oppel, 1811

T. microstomus Cope, 1866
T. tenuis Salvin, 1860

Family: **Ungaliophiidae** McDowell, 1987

EXILIBOA Bogert, 1968

E. placata Bogert, 1968

UNGALIOPHIS Müller, 1882

U. continentalis Müller, 1882

Family: **Xenodontidae** Cope 1895 (1896)

CLELIA Fitzinger, 1826

C. scytalina Cope, 1866 (1867)

CONOPHIS Peters, 1860

C. concolor Cope, 1866 (1867)

C. lineatus (Duméril, Bibron & Duméril, 1854)

C. morai Pérez-Higareda, López-Luna & Smith, 2002

C. pulcher Cope, 1869

C. vittatus Peters, 1860

HETERODON Latreille, 1802, **in** Sonnini & Latreille, 1801 (1802)

H. kennerlyi Kennicott, 1860

MANOLEPIS Cope, 1885

M. putnami (Jan, 1863)

OXYRHOPUS Wagler, 1830

O. petolarius sebae Duméril, Bibron & Duméril, 1854

TRETANORHINUS Duméril, Bibron & Duméril, 1854

T. nigroluteus Cope, 1861

XENODON Boie, 1826, **in** Fitzinger, 1826

X. rabdocephalus mexicanus Smith, 1940

ACKNOWLEDGEMENTS

The help of Jeff Boundy, James R. Dixon, Darrel R. Frost, Fausto Méndez de la Cruz, John D. Lynch, Andrew H. Price, Hobart M. Smith, David B. Wake, and Van Wallach is deeply appreciated.

LITERATURE CITED

COLLINS, J. T. 2006. A re-classification of snakes native to Canada and the United States. *J. Kansas Herpetol.* 19:18-20.

FAIVOVOICH, J., C. E. B. HADDAD, P. C. A. GARCIA, D. R. FROST, J. A. CAMPBELL, and W. C. WHEELER. 2005. Systematic review of the frog family Hylidae, with special reference to Hylinae: A phylogenetic analysis and taxonomic revision. *Bull. Amer. Mus. Nat. Hist.* 294:1-240.

FLORES-VILLELA, O. 1993. Herpetofauna Mexicana. *Spec. Publ. Carnegie Mus. Nat. Hist.* 17:1-73.

_____, and L. CANSECO-MÁRQUEZ. 2004. Nuevas especies y cambios taxonómicos para la herpetofauna de México. *Acta Zoologica Mexicana* (n. s.). 20(2):115-144.

FRANK, N., and E. RAMUS. 1995. A Complete Guide to Scientific and Common Names of Reptiles and Amphibians of the World. NG Publishing Inc., Pottsville, PA. 377 pp.

FROST, D. R., T. GRANT, J. FAIVOVICH, R. H. BAIN, A. HAAS, C. B. HADDAD, R. O. DE SA, A. CHANNING, M. WOLKINSON, S. C. DONNELAN, C. H. RAXWORTHY, J. A. CAMPBELL, B. L. BLOTO, P. MOLER, R. C. DREWES, R. A. NUSSBAUM, J. D. LYNCH, D. M. GREEN, and W. C. WHEELER. 2006. The amphibian tree of life. *Bull. Amer. Mus. Nat. Hist.* 297:370 pp.

_____, _____, and J. R. MENDELSON, III. 2006. *Ollotis* Cope, 1875 is the oldest name for the genus currently referred to as *Cranopsis* Cope, 1875 (Anura: Hyloides: Bufonidae). *Copeia* 2006(3):558.

GRANT, T., D. R. FROST, J. P. CALDWELL, R. GAGLIARDO, C. F. B. HADDAD, P. J. R. KOK, D. B. MEANS, B. P. NOONAN, W. E. SCHLAGEL, and W. C. WHEELER. 2006. Phylogenetic systematics of dart-poison frogs and their relatives (Amphibia: Athesphatanura:

Dendrobatidae). Bull. Amer. Mus. Nat. Hist. 299:1-262.

LAWSON, R., J. B. SLOWINSKI, B. I. CROTHER, and F. T. BURBRINK. 2005. Phylogeny of the Colubroidea (Serpentes): New evidence from mitochondrial and nuclear genes. Molec. Phylo. Evol. 17:581-601.

LINER, E. A. 1994. Scientific and common names for the amphibians and reptiles of Mexico in English and Spanish. Nombres científicos y comunes en Ingles y Español de los anfibios y los reptiles de México. SSAR Herpetol. Circ. 23:v-113.

NAGY, Z. T., R. LAWSON, U. JOGER, and M. WINK. 2004. Molecular systematics of racers, whipsnakes and relatives (Reptilia: Colubridae) using mitochondrial and nuclear markers. J. Zool. Syst. Evol. Research 42:223-233.

POE, S. 2004. Phylogeny of anoles. Herpetol. Monogr. 18:37-89.

SMITH, H. M., and R. B. SMITH. 1993. Synopsis of the Herpetofauna of Mexico. Volume VII. Bibliographic Addendum IV and Index, Bibliographic Addendum II-IV, 1979-1991. Univ. Press Colorado, Niwot, CO. 1082 pp.

©Museum of Natural Science, Louisiana State University

THE OCCASIONAL PAPERS OF THE MUSEUM OF NATURAL SCIENCE (formerly THE MUSEUM OF ZOOLOGY and MUSEUM OF GEOSCIENCE), LOUISIANA STATE UNIVERSITY, begun in 1938, is intended for papers dealing with any aspect of neontological or paleontological animal ecology, systematics, or zoogeography, or with anthropology or archaeology. All manuscripts are subject to critical review by the Museum's editorial staff and by no fewer than two extramural specialists. Final acceptance is at the discretion of the Museum Director, or his agent, who serves as Editor.

Individuals may request separate issues directly from the author(s). Institutional libraries interested in exchanging publications should address the Secretary to the Director, Museum of Natural Science, Louisiana State University, Baton Rouge, LA 70803-3216, U.S.A.

Editor: J. Michael Fitzsimons